S1565-2-UA

Highlights

Charts

Tables

1985 VITAL STATISTICS SUMMARY OF THE DISTRICT OF COLUMBIA

Marion Barry, Jr., Mayor

VITAL STATICS
OF THE
DISTRICT OF COLUMBIA
1985

M. JEROME WOODS
DIRECTOR
DEPARTMENT OF HUMAN
SERVICES

CARL W. WILSON
CHIEF
OFFICE OF POLICY AND
PLANNING

MARION BARRY, JR.
MAYOR
DISTRICT OF COLUMBIA

Cover design by Vinita Green Visual Information Specialist, Audiovisual and Printing Services Division, DHS

The Department of Human Services does not discriminate on the basis of race, color, religion, national origin, sex, marital status, personal appearance, sexual orientation, family responsibilities, physical handicap, matriculation, or political affiliation.

SYMBOLS USED IN TABLES

Data Not Available	---
Not Applicable	...
Quantity Zero	-
Quantity More Than 0 But Less Than 0.05	0.0

CONTENTS

Source of data..... 8
Registration completeness..... 8
Calculation of rates..... 9
Availability of additional data..... 9
Definitions..... 9
Vital statistics highlights.....12

TEXT TABLES

General fertility rate, age specific live birth rates, District of Columbia and United States, 1980-1985.....14

Age specific live birth rates, District of Columbia, 1980-1985.....15

CHARTS

Chart

1.--Crude birth rate by race, District of Columbia, 1945, 1955, 1965, 1975 and 1985.....16

2.--Crude death rate by race, District of Columbia, 1945, 1955, 1965, 1975 and 1985.....17

3.--Infant death rate by race, District of Columbia, 1945, 1955, 1965, 1975 and 1985.....18

4.--Infant, neonatal and postneonatal death rates, District of Columbia, 1945, 1955, 1965, 1975 and 1985.....19

TABLES

Table

1.--Resident live births and birth rates by race and sex: District of Columbia, 1970-1985..... 20

2.--Out-of-wedlock births by race: District of Columbia residents, 1970-1985..... 21

3.--Incidence of low birth weight by race: District of Columbia residents, 1970-1985..... 22

4.--Births to adolescent mothers by race: District of Columbia, 1970-1985..... 23

5.--Deaths and death rates by race: District of Columbia residents, 1970-1985..... 24

6.--Infant and neonatal deaths and death rates by race: District of Columbia residents, 1970-1985..... 25

7.--Three year moving average of infant mortality rates by age at death: District of Columbia, 1970-1972 to 1983-1985..... 26

8.--Fetal deaths and death rates by race: District of Columbia residents, 1970-1985..... 27

9.--Perinatal deaths and death rates by race: District of Columbia residents, 1970-1985..... 28

10.--Maternal mortality: District of Columbia residents, 1970-1985..... 29

11.--Resident infant deaths and death rates by age: District of Columbia, 1980-1985..... 30

12.--Number of resident infant deaths by ward, race and age at death: District of Columbia, 1985..... 31

13.--Resident infant mortality rates by ward, race and age at death: District of Columbia, 1985..... 32

14.--Live births, out-of-wedlock births, infant deaths, fetal deaths, total deaths, by place of occurrence and residence: District of Columbia, 1985..... 33

15.--Recorded events, and resident events in other states: District of Columbia residents, 1970-1985..... 34

16.--Recorded number of live births, deaths, infant deaths and fetal deaths by race: District of Columbia, 1975-1985.....35

17a.-Total live births by live-birth order, age of mother, all races: District of Columbia, 1985.....36

17b.-Single live births by live-birth order, age of mother, all races: District of Columbia, 1985.....37

17c.-Plural live births by live-birth order, age of mother, all races: District of Columbia, 1985.....38

18a.-Live births by live-birth order and age of mother, black residents: District of Columbia, 1985.....39

18b.-Live births by live-birth order and age of mother, white residents: District of Columbia, 1985.....40

19a.-Live births by ward and age of mother, all residents: District of Columbia, 1985.....41

19b.-Live births by ward and age of mother, black residents: District of Columbia, 1985.....42

19c.-Live births by ward and age of mother, white residents: District of Columbia, 1985.....43

20a.-Number and percent distribution of resident live births, and births with selected characteristics (out-of-wedlock, premature, immature and with inadequate prenatal care) by race and ward; all races: District of Columbia, 1985.....44

20b.-Number and percent distribution of resident live births, and births with selected characteristics (out-of-wedlock, premature, immature and with inadequate prenatal care) by race and ward; black births: District of Columbia, 1985.....45

20c.-Number and percent distribution of resident live births, and births with selected characteristics (out-of-wedlock, premature, immature and with inadequate prenatal care) by race and ward; white births: District of Columbia, 1985.....46

21a.-Resident deaths by 20 leading causes by race and sex: District of Columbia, 1985.....47

21b.-Resident crude death rates by race and sex: District of Columbia, 1985.....48

22.--Principal causes of death of residents by age group and sex with rates: District of Columbia, 1985.....49

23.--Number of resident deaths and crude and age-adjusted death rates by age, race and sex: District of Columbia, 1985.....52

24.--Deaths from 72 selected causes by age, race and sex: District of Columbia, 1985.....53

25a.-Resident deaths for 20 leading causes by race and ward; all races: District of Columbia, 1985.....80

25b.-Resident deaths for 20 leading causes by race and ward; black residents: District of Columbia, 1985.....81

25c.-Resident deaths for 20 leading causes by race and ward; white residents: District of Columbia, 1985.....82

26.--Resident infant deaths by cause and age: District of Columbia, 1985.....83

27.--Resident infant deaths by cause: District of Columbia, 1983-1985.....86

28.--Resident live births, out-of-wedlock births, births with no prenatal care, immature births, total deaths and infant deaths by census tract: District of Columbia, 1985.....88

29.--Recorded deaths from accidental causes by age and type of accident: District of Columbia, 1985.....95

30.--Estimated population by age, race, and sex: District of Columbia, July 1, 1985.....97

31.--Marriages by month of marriage: District of Columbia, 1985.....98

32.--Marriages by age of groom by age of bride: District of Columbia, 1985.....99

33.--Marriages by marital status of groom by marital status of bride: District of Columbia, 1985.....100

34.--Marriages by age of groom by marital status of groom: District of Columbia, 1985.....101

35.--Marriages by age of bride by marital status of bride: District of Columbia, 1985.....102

36.--Divorces and divorce rates: District of Columbia, 1976, 1980-1985.....103

37.--Divorces by duration of marriage: District of Columbia, 1985.....104

38.--Divorces by number of children affected under 18 years of age: District of Columbia, 1985.....105

39.--Divorces by age of wife by age of husband: District of Columbia, 1985.....106

40.--Age of husband by marriage number: District of Columbia, 1985.....107

41.--Age of wife by marriage number: District of Columbia, 1985.....108

42.--Divorces by duration of marriage by marriage number of husband: District of Columbia, 1985.....109

43.--Divorces by duration of marriage by marriage number of wife: District of Columbia, 1985.....110

ACKNOWLEDGEMENTS

The 1985 Vital Statistics Summary is the result of the combined efforts of the data providers, including hospital personnel, physicians and funeral directors and Department of Human Services' personnel.

Research and Statistics Division staff contributing significantly to the preparation of the 1985 summary include:

Claudia Higgins, table preparation
Corine Miles, Margaret Spencer and Gloria Coleman, data reduction and coding
Dorothy Ricks, secretary, typing
John Crandall, registrar, Vital Records Branch and his staff for the registration of all vital events occurring in the District of Columbia

Publication of this summary is made possible through the joint efforts of other units within the Department of Human Services. Special acknowledgement is made to:

Evelyn B. Dorsey and James E. Gladden, Audiovisual and Printing Services Division
Office of Information Systems staff, Frederick Senior, chief

The 1985 Vital Statistics Summary has been compiled and produced under the general supervision of Grover Chamberlain, chief, Research and Statistics Division.

VITAL STATISTICS SUMMARY

1985

INTRODUCTION

This annual report contains information on vital events (live births, deaths, fetal deaths, marriages and divorces) for the District of Columbia in calendar year 1985 and selected earlier years. The report also includes data on nonresident births and deaths occurring in the District of Columbia. However, the emphasis is placed on those events occurring to District of Columbia residents. The purpose of this report is to present information in a structured fashion which can be used as a basis for health and social policy decisions, for health planning and for the generation of questions for health and epidemiologic research. This report is further intended to provide District of Columbia governmental agencies, businesses, universities, nonprofit organizations and citizens with information on vital events.

SOURCE OF DATA. Vital statistics are derived entirely from live birth, death, fetal death, marriage and divorce certificates. All live births and deaths occurring within the District of Columbia are registered with the Vital Records Branch, Research and Statistics Division, Department of Human Services, as are known fetal deaths of 20 weeks or more gestation. Vital events for District residents occurring in other states are registered in those states and copies are sent to the Vital Records Branch through a nationwide interchange system. Marriage and divorce certificates are received from the District of Columbia Superior Court and are registered with the Vital Records Branch.

The statistics for 1985 cover all 1985 events for which certificates were filed or transcripts received from other states before May 15, 1986. The number of certificates excluded for 1985 or any other year because of late filing is considered negligible for statistical purposes.

REGISTRATION COMPLETENESS. The registration of live births and deaths in the District of Columbia is considered to be virtually complete. The degree of registration and completeness for fetal deaths is not known because the D.C. law requires registration only for 20 weeks or over gestation. Since the gestation period cannot always be calculated exactly, some reportable fetal deaths are probably not registered. It is always possible that some of those which are registered are actually of less than 20 weeks gestation.

CALCULATION OF RATES. Death, birth and fertility rates are based on enumerated population as of April 1 for census years, and on estimated population as of July 1 for all other years. These rates are expressed per 1,000 population except for death rates by cause of death, which are per 100,000 population. Rates are per 1,000 live births for infant deaths, per 10,000 live births for maternal deaths and per 1,000 deliveries (live births plus fetal deaths) for fetal deaths and perinatal deaths. Comparability of trend data for birth and death rates is limited by the difficulties in preparing reliable estimates of population for intercensal years.

AVAILABILITY OF ADDITIONAL DATA. More detailed information on vital events for 1985 or prior years is available on request from the chief, Research and Statistics Division, Department of Human Services, 425 I Street, N.W., Washington, D.C. 20001.

DEFINITIONS. Terms used in this report are defined as follows:

Residence is defined as that of the deceased for a death and as that of the mother for a birth or fetal death. Deaths and births in institutions located in the District are allocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted. Most tables refer to resident events which include birth and death certificates received for residents of the city irrespective of where the event occurred. The tables referring to recorded events include births and deaths which occurred in the District of Columbia irrespective of the place of residence given on the certificates.

A live birth is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

An immature birth is one for which the birth weight is 2,500 grams or less (5 pounds, 8 ounces or less), regardless of the period of gestation.

A premature birth is one which occurred prior to 37 weeks gestation.

An out-of-wedlock birth is one which occurred to a mother who was separated from spouse or not married at the time of birth and had not been living with spouse or married any time during the preceding 10 months.

A fetal death is defined as death, prior to the complete expulsion or extraction from its mother, of a product of human conception of 20 weeks or more duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus never breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movements of voluntary muscles.

An infant death is the death of a child under one year of age.

A neonatal death is the death of a child under 28 days of age.

The underlying cause of death, by which all deaths are classified, may be defined as the disease or injury which initiated the train of morbid events leading directly to death, or the circumstances of the accident or violence which produced the fatal injury[1]. It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause, and it is the responsibility of the Research and Statistics Division to assign the proper code number so that deaths may be classified by cause. Starting with the 1979 report, causes of death have been coded under the provisions of the "Ninth Revision International Classification of Diseases," adapted for use in the United States (ICDA).

Leading Causes of Death: Cause-of-death ranking is based on the list of 72 Selected Causes of Death, adapted from one of the special lists for mortality tabulations recommended by the World Health Organization for use with the Ninth Revision of the International Classification of Diseases. Two group titles - Major cardiovascular diseases and symptoms and ill-defined - are not ranked. In addition, category titles that begin with the words "other" or "all other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked (e.g., Tuberculosis, all forms), its component parts (in this case of Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

Race: When the word "black" is used in this report, either in tables or text, it means "black and other non-white races." The 1980 census found that approximately three percent of the total population was neither black nor white.

1/ Manual of the International Statistical Classification of Disease, Injuries, and Cause of Death, Seventh Revision, 1955, Volume 1, page 357.

Rates used in this report are defined as outlined below:

Birth rate	Live births / Estimated mid-year population	X 1,000
Out-of-wedlock ratio	Out-of-wedlock births / Number of live births	X 1,000
Age-specific rate	Live births to women in specific age group / Estimated mid-year female population in that age group	X 1,000
Fertility rate	Live births / Estimated mid-year female population 15-44 years old	X 1,000
Death rate	Deaths / Estimated mid-year population	X 1,000 (or 100,000) as specified
Age-specific death rate	Deaths in specific age group / Estimated mid-year population in that age group	X 100,000
Infant death rate	Deaths under one year of age / Total number of live births	X 1,000
Neonatal death rate	Deaths under 28 days of age / Total number of live births	X 1,000
Fetal death rate	Fetal deaths (gestation 20 weeks or over) / Live births plus fetal deaths	X 1,000
Maternal death rate	Deaths due to complications of pregnancy, childbirth and puerperium / Total number of live births	X 10,000
Perinatal death rate	Neonatal deaths plus fetal deaths / Live births plus fetal deaths	X 1,000

VITAL STATISTICS HIGHLIGHTS

The number of live births increased again in 1985, thus continuing an upward trend which began in 1981. The 3 percent increase in 1985 over 1984, was the largest during the trend period.

The birth rate in 1985 was 15.7 per 1,000 population, a slight increase over the 1984 rate.

Male births outnumbered female births again in 1985, there were 1,039 male births for every 1,000 female births.

The fertility rate in 1985 was 58 live births per 1,000 women aged 15-44, an increase of about 4 percent over the 1984 rate.

The fertility rate was much higher for black women than for white women, 67.9 to 34.1, respectively.

About 13 percent of the births were low birth weight (2,500 grams or less), a slightly higher percentage than in 1984. Also, there were more very low birth weight (500 grams or less) births in 1985 than there were in 1984, 48 and 43 each year, respectively.

Most (93.8 percent) of the 1,295 low birth weight births were black. The rates per 1,000 live births were 149.3 and 46.9 for black and white births.

The number of stillbirths (fetal deaths) decreased from 143 in 1984 to 122 in 1985, or about 15 percent. In turn, the fetal death rate and the perinatal death rate also were down from 1984.

The infant mortality rate in 1985 was 20.7 per 1,000 live births (204 deaths among 9,840 live births). In 1984, the rate was 21.2.

Exactly one-half of the infant deaths occurred less than one day after delivery, and a total of 76.5 percent died during the neonatal period (under 28 days).

For all but two of the 15 leading causes of death in the United States in 1985, the District of Columbia's rates were higher than the United States rates. The two exceptions were (1) chronic obstructive pulmonary diseases and allied conditions and (2) suicide. Not only were the District of Columbia's rates higher for all other causes, for several they were two to three times higher than the United States rates, e.g., homicide and legal intervention, chronic liver disease and cirrhosis and certain conditions originating in the perinatal period.

Cause of death	Death rate a/	
	District of Columbia	United States b/
All causes	1103.1	874.8
Diseases of heart	339.7	325.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	252.9	191.7
Cerebrovascular diseases	69.0	64.0
Accidents and adverse effects	43.4	38.6
Chronic obstructive pulmonary diseases and allied conditions	24.2	31.2
Pneumonia and influenza	37.0	27.9
Diabetes mellitus	19.3	16.2
Suicide	6.9	12.0
Chronic liver disease and cirrhosis	26.8	11.2
Atherosclerosis	12.3	9.9
Nephritis, nephrotic syndrome and nephrosis	15.1	9.4
Homicide and legal intervention	23.7	8.1
Certain conditions originating in the perinatal period	20.7	7.6
Septicemia	22.2	7.1
Congenital anomalies	7.0	5.5

a/Rate per 100,000 population.
b/Monthly Vital Statistics Report, National Center for Health Statistics, Vol. 34, No. 13 September 19, 1986.

GENERAL FERTILITY RATE, AGE-SPECIFIC LIVE BIRTH RATES,
DISTRICT OF COLUMBIA AND UNITED STATES
1980-1985

Year	General fertility rate a/	Age-specific birth rate b/ by age of mother							
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and over
DISTRICT OF COLUMBIA									
1985....	58.0	3.5	76.7	84.7	66.6	56.6	32.8	5.8	0.3
1984....	55.9	2.9	74.6	81.8	63.3	53.6	30.4	5.7	0.2
1983....	55.7	2.8	71.5	76.3	62.6	52.3	28.9	5.2	0.3
1982....	55.2	3.4	71.4	74.4	62.5	54.8	28.1	5.4	0.4
1981....	54.9	3.3	68.9	74.8	64.1	52.3	24.6	5.0	0.3
1980....	54.4	3.3	62.8	79.4	64.9	50.9	22.7	4.5	0.2
UNITED STATES									
1984....	65.4	1.2	50.9	107.3	108.3	66.5	22.8	3.9	0.2
1983....	65.8	1.1	51.7	108.3	108.7	64.6	22.1	3.8	0.2
1982....	67.3	1.1	52.9	111.3	111.0	64.2	21.1	3.9	0.2
1981....	67.4	1.1	52.7	111.8	112.0	61.4	20.0	3.8	0.2
1980....	68.4	1.1	53.0	115.1	112.9	61.9	19.8	3.9	0.2

a/Number of live births, regardless of age of mother, per 1,000 women of childbearing age (15-44 years).

b/Number of live births per 1,000 women in a specific age group. For women under 15 years, the rate is calculated using the female population 10-14 years of age, and for women over 44 years, using the female population 45-49 years of age.

AGE SPECIFIC LIVE BIRTH RATES*, DISTRICT OF COLUMBIA, 1980-1985

Age of mother (in years)	1985			1984		
	Births	Population	Rate	Births	Population	Rate
<15.....	63	18,100	3.5	54	18,600	2.9
15-19.....	1,685	22,000	76.6	1,693	22,700	74.6
20-24.....	2,873	33,900	84.7	2,870	35,100	81.8
25-29.....	2,438	36,600	66,6	2,362	37,300	63.3
30-34.....	1,807	31,900	56.6	1,682	31,400	53.6
35-39.....	840	25,600	32.8	756	24,900	30.4
40-44.....	114	19,800	5.8	111	19,400	5.7
45+.....	5	15,900	0.3	3	15,200	0.2
	1983			1982		
	Births	Population	Rate	Births	Population	Rate
<15.....	54	19,500	2.8	66	19,700	3.4
15-19.....	1,715	24,000	71.5	1,777	24,900	71.4
20-24.....	2,800	36,700	76.3	2,820	37,900	74.4
25-29.....	2,328	37,200	62.6	2,338	37,400	62.5
30-34.....	1,617	30,900	52.3	1,644	30,000	54.8
35-39.....	681	23,600	28.9	620	22,100	28.1
40-44.....	97	18,700	5.2	96	17,700	5.4
45+.....	4	15,100	0.3	6	15,600	0.4
	1981			1980		
	Births	Population	Rate	Births	Population	Rate
<15.....	66	19,800	3.3	70	20,994	3.3
15-19.....	1,880	27,300	68.9	1,862	29,660	62.8
20-24.....	2,864	38,300	74.8	2,959	37,285	79.4
25-29.....	2,306	36,000	64.1	2,281	35,138	64.9
30-34.....	1,595	30,500	52.3	1,497	29,404	50.9
35-39.....	512	20,800	24.6	489	21,518	22.7
40-44.....	86	17,200	5.0	77	17,052	4.5
45+.....	5	15,700	0.3	3	16,082	0.2

*Rates per 1,000 women in specific age groups.

Chart 1.
CRUDE BIRTH RATE BY RACE, DISTRICT OF COLUMBIA, 1945, 1955, 1965, 1975 AND 1985



Chart 2.
CRUDE DEATH RATE BY RACE, DISTRICT OF COLUMBIA, 1945, 1955, 1965, 1975 AND 1985



Chart 3.
INFANT DEATH RATE BY RACE, DISTRICT OF COLUMBIA, 1945, 1955, 1965, 1975 AND 1985



Chart 4.
INFANT, NEONATAL AND POSTNEONATAL DEATH RATES, DISTRICT OF COLUMBIA, 1945, 1955, 1965, 1975 AND 1985



Table 1.—RESIDENT LIVE BIRTHS AND BIRTH RATES BY RACE AND SEX: DISTRICT OF COLUMBIA, 1970-1985

Year	Live births						Live births		
	Total		Black		White				
	Number	Rate [a]	Number	Rate [a]	Number	Rate [a]	Male	Female	Sex ratio [b]
1985	9,840	15.7	8,136	17.8	1,704	10.1	5,013	4,827	1,039
1984	9,549	15.2	7,888	17.2	1,661	9.8	4,928	4,621	1,066
1983	9,524	15.2	7,896	17.2	1,628	9.7	4,729	4,795	986
1982	9,378	14.9	7,710	16.7	1,668	9.9	4,724	4,654	1,015
1981	9,332	14.8	7,749	16.8	1,583	9.4	4,820	4,512	1,068
1980	9,257	14.5	7,884	16.9	1,373	8.0	4,759	4,498	1,058
1979	9,403	14.2	8,053	16.5	1,350	7.9	4,851	4,552	1,066
1978	9,372	13.9	8,004	15.9	1,368	7.9	4,728	4,644	1,018
1977	9,885	14.3	8,515	16.4	1,370	8.0	4,985	4,900	1,017
1976	9,635	13.6	8,293	15.4	1,342	7.9	4,874	4,761	1,024
1975	9,746	13.5	8,462	15.1	1,284	7.9	4,942	4,804	1,029
1974	10,037	13.8	8,737	15.6	1,300	7.7	5,105	4,932	1,035
1973	10,837	14.7	9,413	16.8	1,424	8.0	5,572	5,265	1,058
1972	11,886	15.8	10,518	18.6	1,368	7.3	5,989	5,897	1,016
1971	13,914	18.5	12,131	21.9	1,783	8.9	7,082	6,832	1,037
1970	14,960	19.8	13,091	24.0	1,869	8.9	7,664	7,296	1,050

a/Rate per 1,000 population

b/Ratio of Males per 1,000 Females

Table 2.—OUT-OF-WEDLOCK BIRTHS BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1985

Year	Out-of-wedlock births					
	Total		Black		White	
	Number	Per-cent	Number	Per-cent	Number	Per-cent
1985	5,740	58.3	5,445	66.9	295	17.3
1984	5,573	58.4	5,307	67.3	266	16.0
1983	5,467	57.4	5,226	66.2	241	14.8
1982	5,316	56.7	5,066	65.7	250	15.0
1981	5,483	58.8	5,175	66.8	308	19.5
1980	5,369	58.0	5,135	65.1	234	17.0
1979	5,443	57.9	5,255	65.3	188	13.9
1978	5,186	55.3	5,016	62.7	170	12.4
1977	5,243	53.0	5,074	59.6	169	12.3
1976	5,065	52.6	4,886	58.9	179	13.3
1975	4,988	51.2	4,822	57.0	166	12.9
1974	4,994	49.8	4,801	55.0	193	14.8
1973	5,061	46.7	4,856	51.6	205	14.4
1972	5,509	46.3	5,359	51.0	150	11.0
1971	5,974	42.9	5,740	47.3	234	13.1
1970	6,104	40.8	5,855	44.7	249	13.3

Table 3.—INCIDENCE OF LOW BIRTH WEIGHT BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1985

Year	Births of 2,500 grams or less					
	Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent
1985	1,295	13.2	1,215	14.9	80	4.7
1984	1,227	12.8	1,143	14.5	84	5.1
1983	1,252	13.1	1,160	14.7	92	5.7
1982	1,212	12.9	1,113	14.4	99	5.9
1981	1,205	12.9	1,108	14.3	97	6.1
1980	1,214	13.1	1,130	14.3	84	6.1
1979	1,195	12.7	1,123	13.9	72	5.3
1978	1,239	13.2	1,143	14.3	96	7.0
1977	1,330	13.5	1,239	14.6	91	6.6
1976	1,217	12.6	1,136	13.7	81	6.0
1975	1,333	13.7	1,255	14.8	78	6.1
1974	1,325	13.2	1,245	14.2	80	6.2
1973	1,349	12.4	1,256	13.3	93	6.5
1972	1,490	12.5	1,407	13.4	83	6.1
1971	1,731	12.4	1,631	13.4	100	5.6
1970	1,959	13.1	1,795	13.7	164	8.8

Table 4.—BIRTHS TO ADOLESCENT MOTHERS BY RACE:
DISTRICT OF COLUMBIA, 1970-1985

Year	Births to mothers under 20 years of age						Births to mothers under 18 years of age					
	Total		Black		White		Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
1985	1,748	17.8	1,664	20.5	84	4.9	711	7.2	681	8.4	30	1.8
1984	1,747	18.3	1,679	21.3	68	4.1	701	7.3	685	8.7	16	1.0
1983	1,792	18.8	1,727	21.9	65	4.0	744	7.8	726	9.2	18	1.1
1982	1,843	19.7	1,758	22.8	85	5.1	783	8.3	756	9.8	27	1.6
1981	1,946	20.9	1,857	24.0	89	5.6	863	9.2	838	10.8	25	1.6
1980	1,932	20.9	1,864	23.6	68	5.0	833	9.0	821	10.4	22	1.6
1979	2,145	22.8	2,063	25.6	82	6.1	959	10.2	933	11.6	26	1.9
1978	2,087	22.3	2,013	25.1	74	5.4	968	10.3	933	11.7	35	2.6
1977	2,253	22.8	2,188	25.7	65	4.7	1,053	10.7	1,030	12.1	23	1.7
1976	2,356	24.5	2,264	27.3	92	6.9	1,107	11.5	1,070	12.9	37	2.8
1975	2,636	27.0	2,523	29.8	113	8.8	1,232	12.6	1,178	13.9	54	4.2
1974	2,809	28.0	2,684	30.7	125	9.6	1,343	13.4	1,285	14.7	58	4.5
1973	3,028	27.9	2,903	30.8	125	8.8	1,499	13.8	1,437	15.3	62	4.4
1972	3,386	28.5	3,314	31.5	72	5.3	1,657	13.9	1,635	15.5	22	1.6
1971	3,822	27.5	3,682	30.4	140	7.9	1,783	12.8	1,746	14.4	37	2.1
1970	4,007	26.8	3,851	29.4	156	8.3	1,861	12.4	1,820	13.9	41	2.2

Table 5.—DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1985

Year	Deaths - all ages					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1985.....	6,921	11.0	5,133	11.2	1,788	10.6
1984.....	6,683	10.7	4,883	10.7	1,800	10.7
1983.....	6,691	10.7	4,840	10.5	1,851	11.0
1982.....	6,469	10.3	4,718	10.2	1,751	10.4
1981.....	6,846	10.7	4,928	10.6	1,918	11.2
1980.....	6,982	10.9	4,888	10.5	2,094	12.2
1979.....	6,734	10.2	4,685	9.6	2,049	12.0
1978.....	6,959	10.3	4,776	9.5	2,183	12.6
1977.....	7,064	10.2	4,828	9.3	2,236	13.0
1976.....	7,238	10.2	4,940	9.2	2,298	13.6
1975.....	7,446	10.3	5,018	9.0	2,428	14.9
1974.....	7,815	10.7	5,200	9.3	2,615	15.5
1973.....	8,017	10.8	5,172	9.2	2,845	15.9
1972.....	8,313	11.0	5,419	9.8	2,894	14.4
1971.....	8,405	11.2	5,429	9.8	2,976	14.8
1970.....	8,690	11.5	5,360	9.8	3,330	15.9

*Rates per 1,000 population

Table 6.—INFANT AND NEONATAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1985

Year	Infant deaths						Neonatal deaths					
	Total		Black		White		Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1985——	204	20.7	186	22.9	18	10.6	156	15.9	142	17.5	14	8.2
1984——	202	21.2	189	24.0	13	7.8	154	16.1	145	18.4	9	5.4
1983——	173	18.2	159	20.1	14	8.6	126	13.2	113	14.3	13	8.0
1982——	190	20.3	180	23.3	10	6.0	137	14.6	134	17.4	3	1.8
1981——	211	22.6	196	25.3	15	9.5	162	17.4	147	19.0	15	9.5
1980——	228	24.6	210	26.6	18	13.1	168	18.1	156	19.8	12	8.7
1979——	207	22.0	199	24.7	8	5.9	159	16.9	152	18.9	7	5.2
1978——	242	25.8	229	28.6	13	9.5	179	19.1	168	21.0	11	8.0
1977——	270	27.3	251	29.5	19	13.9	203	20.3	189	22.2	14	10.2
1976——	240	24.9	230	27.7	10	7.5	193	20.0	188	22.7	5	3.7
1975——	279	28.6	254	30.0	25	19.5	220	22.6	198	23.4	22	17.1
1974——	277	27.6	255	29.2	22	16.9	216	21.5	196	22.4	20	15.4
1973——	276	25.5	245	26.0	31	21.8	208	19.2	185	19.7	23	16.2
1972——	323	27.2	296	28.1	27	19.7	235	19.8	213	20.3	22	16.1
1971——	396	28.5	368	30.3	28	15.7	294	21.1	273	22.5	21	11.8
1970——	432	28.9	389	29.7	43	23.0	339	22.7	303	23.1	36	19.3

*Rates per 1,000 live births.

Table 7.—THREE YEAR MOVING AVERAGE OF INFANT MORTALITY RATES BY AGE AT DEATH: DISTRICT OF COLUMBIA, 1970-1972 TO 1983-1985

Year	Rate per 1,000 live births				
	All ages	Less than 1 day	1-6 days	7-27 days	28 days-11 months
1970-1972	28.2	13.4	5.8	2.0	7.0
1971-1973	27.1	12.3	5.7	2.0	7.0
1972-1974	26.8	11.7	5.8	2.7	6.6
1973-1975	27.2	12.1	6.1	2.8	6.1
1974-1976	27.0	12.4	6.3	2.7	5.7
1975-1977	26.9	12.4	6.2	2.5	5.9
1976-1978	26.0	11.9	5.8	2.2	6.1
1977-1979	25.0	11.5	5.1	2.2	6.2
1978-1980	24.2	11.1	5.1	1.9	6.1
1979-1981	23.1	10.5	5.1	1.9	5.6
1980-1982	22.5	9.6	5.3	1.8	5.8
1981-1983	20.3	8.7	4.6	1.7	5.3
1982-1984	19.9	8.8	3.9	2.0	5.2
1983-1985	20.0	9.4	3.6	2.1	4.9

Table 8.--FETAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1985

Year	Fetal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1985	122	12.2	115	13.9	7	4.1
1984	143	14.8	116	14.5	21	12.5
1983	128	13.3	114	14.2	14	8.5
1982	114	12.0	104	13.3	10	6.0
1981	123	13.0	115	14.6	8	5.0
1980	126	13.4	103	12.9	23	16.5
1979	112	11.8	100	12.3	12	8.8
1978	137	14.4	125	15.4	12	8.7
1977	160	15.9	152	17.5	8	5.8
1976	169	17.2	154	18.2	15	11.1
1975	149	15.1	138	16.0	11	8.5
1974	140	13.8	127	14.3	13	9.9
1973	141	12.8	127	13.3	14	9.7
1972	250	20.6	216	20.1	34	24.3
1971	286	20.1	240	19.4	46	25.2
1970	258	17.0	228	17.1	30	15.8

*Rate per 1,000 live births plus fetal deaths.

Table 9.—PERINATAL DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1985
(Neonatal plus fetal deaths)

Year	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1985	278	27.9	257	31.1	21	12.3
1984	297	30.6	261	32.6	30	17.8
1983	254	26.3	227	28.3	27	16.4
1982	251	26.4	238	30.5	13	7.7
1981	285	30.1	262	33.3	23	14.5
1980	294	31.3	259	32.4	35	25.1
1979	271	28.5	252	30.9	19	14.0
1978	316	33.2	293	36.0	23	16.7
1977	363	35.7	336	38.8	22	16.0
1976	362	36.5	341	40.4	17	12.6
1975	369	37.3	336	39.1	33	25.5
1974	356	35.0	323	36.4	33	25.1
1973	349	31.8	326	34.2	37	25.7
1972	485	40.0	429	40.0	56	39.9
1971	580	40.8	513	41.5	67	36.6
1970	597	39.2	531	39.9	66	34.8

* Rate per 1,000 live births plus fetal deaths.

Table 10.—MATERNAL MORTALITY:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1985

Year	Maternal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1985...	3	3.0	1	1.2	2	11.7
1984...	-	-	-	-	-	-
1983...	-	-	-	-	-	-
1982...	3	3.2	3	3.9	-	-
1981...	1	1.1	1	1.3	-	-
1980...	1	1.1	1	1.3	-	-
1979...	3	3.2	2	2.5	1	7.4
1978...	-	-	-	-	-	-
1977...	3	3.0	3	3.5	-	-
1976...	2	2.1	2	2.4	-	-
1975...	4	4.1	4	4.7	-	-
1974...	4	4.0	4	4.6	-	-
1973...	2	1.8	2	2.1	-	-
1972...	2	1.7	2	1.9	-	-
1971...	4	2.9	3	2.5	1	5.6
1970...	11	7.4	10	7.6	1	5.4

*Rate per 10,000 live births

Table 11.--RESIDENT INFANT DEATHS AND DEATH RATES BY AGE: DISTRICT OF COLUMBIA, 1980-1985

Year	Number						Rate per 1,000 live births					
	All ages	Under 28 days				28 days-11 months	All ages	Under 28 days				28 days-11 months
		Total	Under 1 day	1-6 days	7-27 days			Total	Under 1 day	1-6 days	7-27 days	
1985....	204	156	102	35	19	48	20.7	15.9	10.4	3.6	1.9	4.9
1984....	202	154	96	34	24	48	21.2	16.1	10.1	3.6	2.5	5.0
1983....	173	126	75	34	17	47	18.2	13.2	7.9	3.6	1.8	4.9
1982....	190	137	78	43	16	53	20.3	14.6	8.3	4.6	1.7	5.7
1981....	211	162	94	52	16	49	22.6	17.4	10.1	5.6	1.7	5.3
1980....	228	168	96	53	19	60	24.6	18.1	10.4	5.7	2.1	6.5

Table 12.—NUMBER OF RESIDENT INFANT DEATHS BY WARD, RACE AND AGE AT DEATH: DISTRICT OF COLUMBIA, 1985

Ward	Total	Total					Black						White				
		Neonatal				Post Neonatal	Neonatal				Post Neonatal		Neonatal				Post Neonatal
		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.	Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.
Total...	204	156	102	35	19	48	186	142	92	32	18	44	18	14	10	3	1	4
Ward 1..	33	25	13	8	4	8	26	20	9	7	4	6	7	5	4	1	-	2
Ward 2..	16	13	9	2	2	3	16	13	9	2	2	3	-	-	-	-	-	-
Ward 3..	6	6	3	2	1	-	-	-	-	-	-	-	6	6	3	2	1	-
Ward 4..	18	17	13	3	1	1	18	17	13	3	1	1	-	-	-	-	-	-
Ward 5..	29	25	17	6	2	4	27	23	15	6	2	4	2	2	2	-	-	-
Ward 6..	28	17	15	1	1	11	27	16	14	1	1	11	1	1	1	-	-	-
Ward 7..	28	23	15	7	1	5	28	23	15	7	1	5	-	-	-	-	-	-
Ward 8..	44	30	17	6	7	14	43	30	17	6	7	13	1	-	-	-	-	1
Not reported	2	-	-	-	-	2	1	-	-	-	-	1	1	-	-	-	-	1

Table 13.—RESIDENT INFANT MORTALITY RATES BY WARD, RACE AND AGE AT DEATH: DISTRICT OF COLUMBIA, 1985

Ward	Total	Total					Black						White				
			Neonatal			Post Neonatal		Neonatal				Post Neonatal		Neonatal			Post Neonatal
		Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.	Total	Total	Less 1 day	1-6 days	7-27 days	28 days - 11 mos.	Total	Total	Less 1 day	1-6 days	7-27 days	28 days - 11 months
Total....	20.7	15.9	10.4	3.6	1.9	4.9	22.9	17.5	11.3	3.9	2.2	5.4	10.6	8.2	5.9	1.8	.6	2.3
Ward 1...	21.9	16.6	8.6	5.3	2.7	5.3	23.0	17.7	8.0	6.2	3.5	5.3	18.4	13.2	10.5	2.6	-	5.3
Ward 2...	16.2	13.2	9.1	2.0	2.0	3.0	20.8	16.9	11.7	2.6	2.6	3.9	-	-	-	-	-	-
Ward 3...	7.9	7.9	3.9	2.6	1.3	-	-	-	-	-	-	-	9.1	9.1	4.6	3.0	1.5	-
Ward 4...	18.0	17.0	13.0	3.0	1.0	1.0	19.5	18.4	14.1	3.2	1.1	1.1	-	-	-	-	-	-
Ward 5...	23.7	20.4	13.9	4.9	1.6	3.3	22.9	19.5	12.7	5.1	1.7	3.4	43.5	43.5	43.5	-	-	-
Ward 6...	24.1	14.6	12.9	.9	.9	9.5	27.2	16.1	14.1	1.0	1.0	11.1	5.8	5.8	5.8	-	-	-
Ward 7...	20.6	16.9	11.1	5.2	.7	3.7	21.0	17.2	11.2	5.2	.7	3.7	-	-	-	-	-	-
Ward 8...	24.4	16.6	9.4	3.3	3.9	7.8	25.6	17.9	10.1	3.6	4.2	7.8	8.0	-	-	-	-	8.0
Not reported	58.8	-	-	-	-	58.8	41.7	-	-	-	-	41.7	100.0	-	-	-	-	100.0

NOTE: Rates per 1,000 live births.

Table 14.--LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, INFANT DEATHS, FETAL DEATHS, TOTAL DEATHS, BY PLACE OF OCCURRENCE AND RESIDENCE: DISTRICT OF COLUMBIA, 1985

Place of occurrence resident status	Live births	Out-of-wedlock births	Infant deaths	Fetal deaths	Total deaths*
Total recorded events.....	19,946	7,432	468	227	8,861
District of Columbia residents....	8,934	5,417	193	122	6,338
Maryland residents.....	8,342	1,769	192	78	1,655
Virginia residents.....	2,563	229	62	22	557
Resident of other states.....	107	17	21	5	298
Not stated.....	-	-	-	-	13
Resident events.....	9,840	5,740	204	122	6,921
Occurring in D.C.	8,934	5,417	193	122	6,338
Occurring in other states.....	906	323	11	-	583

*Includes infant deaths but not fetal deaths.

Table 15.—RECORDED EVENTS, AND RESIDENT EVENTS IN OTHER STATES: DISTRICT OF COLUMBIA RESIDENTS, 1970-1985

Year	Recorded events - in D.C.		Resident events - outside D.C.	
	Births	Deaths	Births	Deaths
1985.....	19,946	8,861	906	583
1984.....	19,617	8,501	806	617
1983.....	19,595	8,404	772	662
1982.....	19,933	8,508	524	484
1981.....	21,209	8,678	530	612
1980	20,262	8,815	373	623
1979.....	20,157	8,619	368	560
1978.....	19,743	8,755	413	649
1977.....	20,653	8,987	436	621
1976.....	19,916	9,183	431	716
1975.....	19,826	9,423	359	731
1974.....	19,865	9,786	337	814
1973.....	20,696	9,850	383	927
1972.....	22,600	10,153	413	961
1971.....	25,932	10,291	473	1,024
1970.....	28,141	10,526	562	1,105

Table 16.--RECORDED NUMBER OF LIVE BIRTHS, DEATHS, INFANT DEATHS AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1975-1985

Year	Births			Deaths			Infant Deaths			Fetal Deaths 1/		
	Total	Black	White	Total	Black	White	Total	Black	White	Total	Black	White
1985.....	19,946	12,462	7,484	8,861	5,685	3,176	468	306	162	227	171	56
1984.....	19,617	12,072	7,545	8,501	5,339	3,162	418	284	134	282	193	89
1983.....	19,595	11,978	7,617	8,404	5,245	3,159	371	238	133	234	165	69
1982.....	19,933	11,825	8,108	8,508	5,140	3,368	425	291	134	219	159	60
1981.....	20,209	11,907	8,302	8,678	5,338	3,340	445	275	170	232	166	66
1980.....	20,262	12,085	8,177	8,815	5,242	3,573	494	308	186	239	158	81
1979.....	20,157	12,114	8,043	8,619	5,069	3,550	434	295	139	194	139	55
1978.....	19,743	11,512	8,231	8,755	5,097	3,658	482	321	161	222	156	66
1977.....	20,653	11,967	8,686	8,987	5,121	3,866	497	333	164	271	197	74
1976.....	19,916	11,544	8,372	9,183	5,167	4,016	480	327	153	279	201	78
1975.....	19,826	11,351	8,475	9,423	5,166	4,257	504	309	195	241	179	62

1/Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

Table 17a.--TOTAL LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER, ALL RACES: DISTRICT OF COLUMBIA, 1985

Age of Mother	Total	Live-Birth Order									
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & over	Not stated
Total live births...	9,840	4,574	2,891	1,321	583	275	106	43	22	10	15	-
Less than 15 years..	63	63	-	-	-	-	-	-	-	-	-	-
11 and under..	-	-	-	-	-	-	-	-	-	-	-	-
12.....	2	2	-	-	-	-	-	-	-	-	-	-
13.....	18	18	-	-	-	-	-	-	-	-	-	-
14.....	43	43	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1,685	1,311	311	52	10	1	-	-	-	-	-	-
15.....	123	118	5	-	-	-	-	-	-	-	-	-
16.....	219	192	26	1	-	-	-	-	-	-	-	-
17.....	306	259	45	2	-	-	-	-	-	-	-	-
18.....	448	344	83	17	4	-	-	-	-	-	-	-
19.....	589	398	152	32	6	1	-	-	-	-	-	-
20-24 years.....	2,873	1,381	932	386	124	35	14	1	-	-	-	-
25-29 years.....	2,438	882	799	433	201	84	27	10	1	1	-	-
30-34 years.....	1,807	627	565	292	166	88	36	16	9	3	5	-
35-39 years.....	840	268	255	139	72	51	22	14	10	2	7	-
40-44 years.....	114	34	26	16	8	15	6	2	2	2	3	-
45 and over.....	5	1	1	-	1	-	-	-	-	2	-	-
Not stated.....	15	7	2	3	1	1	1	-	-	-	-	-

Table 17b.--SINGLE LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER, ALL RACES: DISTRICT OF COLUMBIA, 1985

Age of Mother	Total	Live-Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & over	Not stated
Single live births..	9,608	4,525	2,810	1,264	563	264	99	40	22	8	13	-
Less than 15 years..	63	63	-	-	-	-	-	-	-	-	-	-
11 and under..	-	-	-	-	-	-	-	-	-	-	-	-
12.....	2	2	-	-	-	-	-	-	-	-	-	-
13.....	18	18	-	-	-	-	-	-	-	-	-	-
14.....	43	43	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1,654	1,297	297	49	10	1	-	-	-	-	-	-
15.....	123	118	5	-	-	-	-	-	-	-	-	-
16.....	213	189	23	1	-	-	-	-	-	-	-	-
17.....	302	257	43	2	-	-	-	-	-	-	-	-
18.....	437	340	78	15	4	-	-	-	-	-	-	-
19.....	579	393	148	31	6	1	-	-	-	-	-	-
20-24 years.....	2,816	1,372	913	366	117	33	14	1	-	-	-	-
25-29 years.....	2,376	873	778	413	195	81	25	9	1	1	-	-
30-34 years.....	1,757	616	544	283	163	85	34	15	9	3	5	-
35-39 years.....	816	263	250	135	70	49	19	13	10	1	6	-
40-44 years.....	106	33	25	15	6	14	6	2	2	1	2	-
45 and over.....	5	1	1	-	1	-	-	-	-	2	-	-
Not stated.....	15	7	2	3	1	1	1	-	-	-	-	-

Table 17c.--PLURAL LIVE BIRTHS BY LIVE-BIRTH ORDER, AGE OF MOTHER, ALL RACES: DISTRICT OF COLUMBIA, 1985

Age of Mother	Total	Live-Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & over	Not stated
Plural live births..	232	49	81	57	20	11	7	3	-	2	2	-
Less than 15 years..	-	-	-	-	-	-	-	-	-	-	-	-
11 and under..	-	-	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-	-	-
13.....	-	-	-	-	-	-	-	-	-	-	-	-
14.....	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	31	14	14	3	-	-	-	-	-	-	-	-
15.....	-	-	-	-	-	-	-	-	-	-	-	-
16.....	6	3	3	-	-	-	-	-	-	-	-	-
17.....	4	2	2	-	-	-	-	-	-	-	-	-
18.....	11	4	5	2	-	-	-	-	-	-	-	-
19.....	10	5	4	1	-	-	-	-	-	-	-	-
20-24 years.....	57	9	19	20	7	2	-	-	-	-	-	-
25-29 years.....	62	9	21	20	6	3	2	1	-	-	-	-
30-34 years.....	50	11	21	9	3	3	2	1	-	-	-	-
35-39 years.....	24	5	5	4	2	2	3	1	-	1	1	-
40-44 years.....	8	1	1	1	2	1	-	-	-	1	1	-
45 and over.....	-	-	-	-	-	-	-	-	-	-	-	-
Not stated.....	-	-	-	-	-	-	-	-	-	-	-	-

Table 18a.--LIVE BIRTHS BY LIVE-BIRTH ORDER AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1985

Age of Mother	Total	Live-Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & over	Not stated
Total live births.....	8,136	3,684	2,359	1,150	518	249	98	40	17	7	14	-
Less than 15 years.....	62	62	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	2	2	-	-	-	-	-	-	-	-	-	-
13.....	17	17	-	-	-	-	-	-	-	-	-	-
14.....	43	43	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1,602	1,241	299	51	10	1	-	-	-	-	-	-
15.....	118	113	5	-	-	-	-	-	-	-	-	-
16.....	209	183	25	1	-	-	-	-	-	-	-	-
17.....	292	245	45	2	-	-	-	-	-	-	-	-
18.....	432	331	80	17	4	-	-	-	-	-	-	-
19.....	551	369	144	31	6	1	-	-	-	-	-	-
20-24 years.....	2,631	1,255	859	357	114	31	14	1	-	-	-	-
25-29 years.....	2,071	683	696	393	186	76	25	10	1	1	-	-
30-34 years.....	1,251	329	379	245	151	83	34	15	7	3	5	-
35-39 years.....	446	95	117	91	50	46	20	12	7	1	7	-
40-44 years.....	58	11	7	10	7	11	5	2	2	1	2	-
45 and over.....	2	1	-	-	-	-	-	-	-	1	-	-
Not stated.....	13	7	2	3	-	1	-	-	-	-	-	-

Table 18b.--LIVE BIRTHS BY LIVE-BIRTH ORDER AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1985

Age of Mother	Total	Live-Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & over	Not stated
Total live births.....	1,704	890	532	171	65	26	8	3	5	3	1	-
Less than 15 years.....	1	1	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-	-	-
13.....	1	1	-	-	-	-	-	-	-	-	-	-
14.....	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	83	70	12	1	-	-	-	-	-	-	-	-
15.....	5	5	-	-	-	-	-	-	-	-	-	-
16.....	10	9	1	-	-	-	-	-	-	-	-	-
17.....	14	14	-	-	-	-	-	-	-	-	-	-
18.....	16	13	3	-	-	-	-	-	-	-	-	-
19.....	38	29	8	1	-	-	-	-	-	-	-	-
20-24 years.....	242	126	73	29	10	4	-	-	-	-	-	-
25-29 years.....	367	199	103	40	15	8	2	-	-	-	-	-
30-34 years.....	556	298	186	47	15	5	2	1	2	-	-	-
35-39 years.....	394	173	138	48	22	5	2	2	3	1	-	-
40-44 years.....	56	23	19	6	1	4	1	-	-	1	1	-
45 and over.....	3	-	1	-	1	-	-	-	-	1	-	-
Not stated.....	2	-	-	-	1	-	1	-	-	-	-	-

Table 19a.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, ALL RESIDENTS: DISTRICT OF COLUMBIA, 1985

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	9,840	63	1,685	2,873	2,438	1,807	840	114	5	15
Ward 1.....	1,509	8	255	449	387	253	128	25	-	4
Ward 2.....	988	2	154	271	254	211	84	9	3	-
Ward 3.....	761	-	9	52	144	301	228	25	2	-
Ward 4.....	1,000	3	128	255	293	219	88	11	-	3
Ward 5.....	1,226	11	254	372	321	187	67	12	-	2
Ward 6.....	1,163	11	212	364	272	198	92	13	-	1
Ward 7.....	1,357	13	282	464	314	205	70	9	-	-
Ward 8.....	1,802	14	383	636	446	228	81	9	-	5
Not reported.....	34	1	8	10	7	5	2	1	-	-

Table 19b.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1985

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	8,136	62	1,602	2,631	2,071	1,251	446	58	2	13
Ward 1.....	1,129	8	213	368	297	162	70	8	-	3
Ward 2.....	769	2	146	232	209	131	43	4	2	-
Ward 3.....	105	-	3	18	27	37	16	4	-	-
Ward 4.....	924	3	126	242	279	194	71	7	-	2
Ward 5.....	1,180	11	247	366	305	180	58	11	-	2
Ward 6.....	992	10	208	351	239	134	43	6	-	1
Ward 7.....	1,336	13	280	456	309	200	69	9	-	-
Ward 8.....	1,677	14	372	593	401	209	75	8	-	5
Not reported.....	24	1	7	5	5	4	1	1	-	-

Table 19c.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1985

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	1,704	1	83	242	367	556	394	56	3	2
Ward 1.....	380	-	42	81	90	91	58	17	-	1
Ward 2.....	219	-	8	39	45	80	41	5	1	-
Ward 3.....	656	-	6	34	117	264	212	21	2	-
Ward 4.....	76	-	2	13	14	25	17	4	-	1
Ward 5.....	46	-	7	6	16	7	9	1	-	-
Ward 6.....	171	1	4	13	33	64	49	7	-	-
Ward 7.....	21	-	2	8	5	5	1	-	-	-
Ward 8.....	125	-	11	43	45	19	6	1	-	-
Not reported.....	10	-	1	5	2	1	1	-	-	-

Table 20a.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD; ALL RACES DISTRICT OF COLUMBIA, 1985

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
ALL RACES										
Total live births.....	9,840	1,509	988	761	1,000	1,226	1,163	1,357	1,802	34
Percent distribution.....	100.0	15.3	10.0	7.7	10.2	12.5	11.8	13.8	18.3	0.3
Out-of-wedlock births										
Number.....	5,740	834	543	79	533	824	722	941	1,241	23
Ratio per 1,000 live births..	583.3	552.7	549.6	103.8	533.0	672.1	620.8	693.4	688.7	676.5
Premature births 1/										
Number.....	1,594	243	151	53	151	224	205	237	324	6
Percent of total births.....	16.2	16.1	15.3	7.0	15.1	18.3	17.6	17.5	18.0	17.6
Percent distribution.....	100.0	15.2	9.5	3.3	9.5	14.1	12.9	14.9	20.3	0.4
Immature births 2/										
Number.....	1,295	182	126	33	124	195	157	205	267	6
Percent of total births.....	13.2	12.1	12.8	4.3	12.4	15.9	13.5	15.1	14.8	17.6
Percent distribution.....	100.0	14.1	9.7	2.5	9.6	15.1	12.1	15.8	20.6	0.5
Inadequate prenatal care 3/										
Number.....	817	174	77	19	75	110	95	128	136	3
Percent of total births.....	8.3	11.5	7.8	2.5	7.5	9.0	8.2	9.4	7.5	8.8
Percent distribution.....	100.0	21.3	9.4	2.3	9.2	13.5	11.6	15.7	16.6	0.4

1/Less than 37 weeks period of gestation.

2/Birth weight of 2,500 grams or less.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 20b.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD; BLACK BIRTHS: DISTRICT OF COLUMBIA, 1985

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
BLACK										
Total live births.....	8,136	1,129	769	105	924	1,180	992	1,336	1,677	24
Percent distribution.....	100.0	13.9	9.5	1.3	11.4	14.5	12.2	16.4	20.6	0.3
Out-of-wedlock births										
Number.....	5,445	707	500	35	516	809	697	935	1,226	20
Ratio per 1,000 live births..	669.2	626.2	650.2	333.3	558.4	685.6	702.6	699.9	731.1	833.3
Premature births 1/										
Number.....	1,464	212	137	13	146	220	189	234	308	5
Percent of total births.....	18.0	18.8	17.8	12.4	15.8	18.6	19.1	17.5	18.4	20.8
Percent distribution.....	100.0	14.5	9.4	0.9	10.0	15.0	12.9	16.0	21.0	0.3
Immature births 2/										
Number.....	1,215	162	115	9	122	191	149	203	259	5
Percent of total births.....	14.9	14.3	15.0	8.6	13.2	16.2	15.0	15.2	15.4	20.8
Percent distribution.....	100.0	13.3	9.5	7.4	10.0	15.7	12.3	16.7	21.3	0.4
Inadequate prenatal care 3/										
Number.....	754	147	64	8	72	108	91	127	134	3
Percent of total births.....	9.3	13.0	8.3	7.6	7.8	9.2	9.2	9.5	8.0	1.3
Percent distribution.....	100.0	19.5	8.5	1.1	9.5	14.3	12.1	16.8	17.8	0.4

1/Less than 37 weeks period of gestation.

2/Birth weight of 2,500 grams or less.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 20c.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD; WHITE BIRTHS: DISTRICT OF COLUMBIA, 1985

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
WHITE										
Total live births	1,704	380	219	656	76	46	171	21	125	10
Percent distribution	100.0	22.3	12.9	38.5	4.5	2.7	10.0	1.2	7.3	0.6
Out-of-wedlock births										
Number	295	127	43	44	17	15	25	6	15	3
Ratio per 1,000 live births	173.1	334.2	196.3	67.1	223.7	326.1	146.2	285.7	12.0	300.0
Premature births 1/										
Number	130	31	14	40	5	4	16	3	16	1
Percent of total births	7.6	8.2	6.4	6.1	6.6	8.7	9.4	14.3	12.8	0.1
Percent distribution	100.0	23.8	10.8	30.8	3.8	3.1	12.3	2.3	12.3	0.8
Immature births 2/										
Number	80	20	11	24	2	4	8	2	8	1
Percent of total births	4.7	5.3	5.0	3.7	2.6	8.7	4.7	9.5	6.4	0.1
Percent distribution	100.0	25.0	13.8	30.0	2.5	5.0	10.0	2.5	10.0	1.2
Inadequate prenatal care 3/										
Number	63	27	13	11	3	2	4	1	2	-
Percent of total births	3.7	7.1	5.9	1.7	3.9	4.3	2.3	4.8	1.6	-
Percent distribution	100.0	42.9	20.6	17.5	4.8	3.2	6.3	1.6	3.2	-

1/Less than 37 weeks period of gestation.

2/Birth weight of 2,500 grams or less.

3/Prenatal care initiated in last trimester (29 weeks or more) or no prenatal care.

Table 21a.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1985

Rank	Cause of Death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	6,921	3,674	3,247	5,133	2,854	2,279	1,788	820	968
01	Diseases of Heart (390-398,402,404-429)	2,133	1,041	1,092	1,537	795	742	596	246	350
02	Cancer (including etc.)(140-208)	1,589	867	722	1,175	674	501	414	193	221
03	Cerebrovascular Disease (430-438)	433	166	267	299	125	174	134	41	93
04	Accidents and Adverse Effects (800-949)	272	202	70	219	169	50	53	33	20
05	Pneumonia and Influenza (480-487)	232	128	104	173	99	74	59	29	30
06	Chronic Liver Disease and Cirrhosis (571)	168	106	62	142	91	51	26	15	11
07	Chronic Obstructive Pulmonary Disease, etc. (490-496)	152	98	54	82	53	29	70	45	25
08	Homicide and Legal Intervention (960-978)	149	125	24	143	120	23	6	5	1
09	Septicemia (038)	140	70	70	109	56	53	31	14	17
10	Certain Perinatal Conditions (760-779)	132	81	51	125	75	50	7	6	1
11	Diabetes Mellitus (250)	121	58	63	90	40	50	31	18	13
12	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	95	45	50	84	40	44	11	5	6
13	Atherosclerosis (440)	77	31	46	34	18	16	43	13	30
14	Congenital Anomalies (740-759)	44	22	22	36	18	18	8	4	4
15	Suicide (950-959)	43	33	10	25	21	4	18	12	6
16	Hypertension with or without Renal Disease (401,403)	35	14	21	27	10	17	8	4	4
17	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	32	14	18	17	8	9	15	6	9
18	Ulcer of Stomach and Duodenum (531-533)	30	14	16	22	12	10	8	2	6
19	Tuberculosis (010-018)	26	19	7	25	19	6	1	-	1
20	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	20	8	12	16	6	10	4	2	2
21	Residual	998	532	466	753	405	348	245	127	118

Table 21b.—RESIDENT CRUDE DEATH RATES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1985

Rank	Cause of Death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	1103.1	1262.9	967.9	1122.7	1345.4	930.0	1056.1	1045.9	1070.4
01	Diseases of Heart (390-398,402,404-429)	339.7	357.9	323.9	335.1	374.1	301.3	352.0	313.8	385.0
02	Cancer (including etc.)(140-208)	252.9	298.0	214.0	256.1	317.2	203.2	244.5	246.2	243.1
03	Cerebrovascular Disease (430-438)	69.0	57.1	79.3	65.3	58.8	70.8	79.1	52.3	102.3
04	Accidents and Adverse Effects (800-949)	43.4	69.4	20.8	47.8	79.5	20.4	31.3	42.1	22.0
05	Pneumonia and Influenza (480-487)	37.0	44.0	30.9	37.8	46.6	30.1	34.8	37.0	33.0
06	Chronic Liver Disease and Cirrhosis (571)	26.8	36.4	18.4	31.0	42.8	20.8	15.4	19.1	12.1
07	Chronic Obstructive Pulmonary Disease, etc. (490-496)	24.2	33.7	16.0	17.9	24.9	11.8	41.3	57.4	27.5
08	Homicide and Legal Intervention (960-978)	23.7	43.0	7.1	31.2	56.5	9.4	3.5	6.4	1.1
09	Septicemia (038)	22.2	23.7	20.8	23.6	25.9	21.6	18.3	17.9	18.7
10	Certain Perinatal Conditions (760-779)	20.7	27.5	14.9	26.9	34.8	20.0	4.1	7.7	1.1
11	Diabetes Mellitus (250)	19.3	19.9	18.7	19.6	18.8	20.4	18.3	23.0	14.3
12	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	15.1	15.5	14.9	18.3	18.8	17.9	6.5	6.4	6.6
13	Atherosclerosis (440)	12.3	10.7	13.7	7.4	8.5	6.5	25.4	16.6	33.0
14	Congenital Anomalies (740-759)	7.0	7.6	6.5	7.9	8.5	7.3	4.7	5.1	4.4
15	Suicide (950-959)	6.9	11.3	3.0	5.5	9.9	1.6	10.6	15.3	6.6
16	Hypertension with or without Renal Disease (401,403).	5.6	4.8	6.2	5.9	4.7	6.9	4.7	5.1	4.4
17	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	5.1	4.8	5.3	3.7	3.8	3.7	8.9	7.7	9.9
18	Ulcer of Stomach and Duodenum (531-533)	4.8	4.8	4.8	4.8	5.6	4.1	4.7	2.6	6.6
19	Tuberculosis (010-018)	4.1	6.5	2.1	5.5	8.9	2.4	.6	-	1.1
20	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	3.2	2.8	3.6	3.5	2.8	4.1	2.4	2.6	2.2
21	Residual	162.9	186.0	142.9	168.1	193.9	145.8	148.8	164.5	135.3

NOTE: Rates per 100,000 population.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1985

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	1-4 years				1-4 years		
	Total	13	90.9		Total	9	63.4
E800-E949	Accidents	2	14.0	140-208	Cancer, etc	1	7.0
E960-E978	Homicide	2	14.0	740-759	Congenital Anomalies	2	14.1
Residual	All Other Causes	9	62.9	Residual	All Other Causes	6	42.3
	5-14 years				5-14 years		
	Total	6	17.0		Total	5	14.6
E800-E949	Accidents	2	5.7	140-208	Cancer, etc	1	2.9
740-759	Congenital Anomalies	-	-	E800-E949	Accidents	-	-
140-208	Cancer, etc	-	-	Residual	All Other Causes	4	11.7
Residual	All Other Causes	4	11.4				
	15-24 years				15-24 years		
	Total	80	159.0		Total	19	34.0
E960-E978	Homicide	33	65.6	E960-E978	Homicide	6	10.7
E800-E949	Accidents	8	15.9	E800-E949	Accidents	1	1.8
E950-E959	Suicide	9	17.9	390-398,402,404-429	Diseases of Heart	3	5.4
390-398,402,404-429	Diseases of Heart	1	2.0	E950-E959	Suicide	1	1.8
140-208	Cancer, etc	7	13.9	Residual	All Other Causes	8	14.3
Residual	All Other Causes	22	43.7				

1/Rate per 100,000 population in specified group.

Table 22.—PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1985-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	25-44 years				25-44 years		
	Total	516	504.9		Total	218	191.4
E960-E978	Homicide	71	69.5	140-208	Cancer, etc	40	35.1
E800-E949	Accidents	69	67.5	390-398,402,404-429	Diseases of Heart	32	28.1
390-398,402,404-429	Diseases of Heart	60	58.7	E800-E949	Accidents	17	14.9
571	Chronic Liver Disease	22	21.5	571	Chronic Liver Disease	8	7.0
140-208	Cancer, etc	42	41.1	E960-E978	Homicide	16	14.0
480-487	Pneumonia and Influenza	8	7.8	E950-E959	Suicide	5	4.4
E950-E959	Suicide	14	13.7	Residual	All Other Causes	100	87.8
430-438	Cerebrovascular Disease	16	15.7				
Residual	All Other Causes	214	209.4				
	45-64 years				45-64 years		
	Total	1,055	1,841.2		Total	645	965.6
390-398,402,404-429	Diseases of Heart	315	549.7	140-208	Cancer, etc	221	330.8
140-208	Cancer, etc	331	577.7	390-398,402,404-429	Diseases of Heart	179	268.0
571	Chronic Liver Disease	54	94.2	430-438	Cerebrovascular Disease	52	77.8
E800-E949	Accidents	28	48.9	571	Chronic Liver Disease	31	46.4
430-438	Cerebrovascular Disease	50	87.3	250	Diabetes Mellitus	13	19.5
480-487	Pneumonia and Influenza	30	52.4	E800-E949	Accidents	7	10.5
490-496	Chronic Obstructive pulmonary,etc	19	33.2	038	Septicemia	10	15.0
580-589	Nephritis, etc	11	19.2	490-496	Chronic Obstructive Pulmonary	10	15.0
E960-E978	Homicide	15	26.2	580-589	Nephritis, etc	6	9.0
Residual	All Other Causes	202	352.5	Residual	All Other Causes	116	173.7

1/ Rate per 100,000 population in specified group.

Table 22.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1985-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate 1/			Number	Rate 1/
	65 years and over				65 years and over		
	Total	1,871	6,754.5		Total	2,267	4,742.7
390-398,402,404-429	Diseases Of Heart	665	2,400.7	390-398,402,404-429	Diseases of Heart	877	1,834.7
140-208	Cancer, etc	485	1,750.9	140-208	Cancer, etc	458	958.2
430-438	Cerebrovascular Disease	97	350.2	430-438	Cerebrovascular Disease	208	435.1
490-496	Chronic Obstructive Pulmonary,etc	77	278.0	480-487	Pneumonia and Influenza	81	169.5
480-487	Pneumonia and Influenza	88	317.7	440	Atherosclerosis	44	92.1
440	Atherosclerosis	28	101.1	250	Diabetes Mellitus	49	102.5
580-589	Nephritis, etc	24	86.6	580-589	Nephritis, etc	41	85.8
E800-E949	Accidents	42	151.6	038	Septicemia	55	115.1
250	Diabetes Mellitus	39	140.8	490-496	Chronic Obstructive Pulmonary	40	83.7
038	Septicemia	48	173.3	E800-E949	Accidents	35	73.2
Residual	All Other Causes	278	1,003.6	Residual	All Other Causes	379	792.9

1/Rate per 100,000 population in specified group.

Table 23.—NUMBER OF RESIDENT DEATHS AND CRUDE AND AGE-ADJUSTED DEATH RATES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
NUMBER									
TOTAL	6,921	3,674	3,247	5,133	2,854	2,279	1,788	820	968
Under 5	226	137	89	208	124	84	18	13	5
5-14	11	6	5	11	6	5	-	-	-
15-24	99	80	19	89	70	19	10	10	-
25-34	312	223	89	279	199	80	33	24	9
35-44	422	293	129	359	246	113	63	47	16
45-54	576	389	187	503	333	170	73	56	17
55-64	1,124	666	458	946	555	391	178	111	67
65 and over	4,138	1,871	2,267	2,728	1,314	1,414	1,410	557	853
Not stated	13	9	4	10	7	3	3	2	1
RATES									
AGE-ADJUSTED 1/	804.2	1056.7	606.8	899.9	1204.9	664.1	563.4	715.9	440.3
CRUDE 2/	1103.1	1263.0	965.0	1120.5	1343.1	927.9	1056.1	1045.9	1065.0
Under 5	626.0	752.7	497.2	679.7	805.2	552.6	327.3	464.3	185.2
5-14	15.9	17.0	14.6	18.1	19.5	16.6	-	-	-
15-24	93.2	159.0	34.0	108.0	174.1	45.0	42.0	99.0	-
25-34	242.0	369.2	130.0	322.2	497.5	171.7	78.0	117.6	41.1
35-44	483.9	701.0	284.1	628.7	946.2	363.3	209.3	297.5	111.9
45-54	961.6	1374.6	591.8	1115.3	1616.5	693.9	493.2	727.3	239.4
55-64	1750.8	2296.6	1301.1	1958.6	2581.4	1459.0	1119.5	1480.0	797.6
65 and over	5480.8	6754.5	4742.7	5779.7	7259.7	4859.1	4982.3	5802.1	4561.5

1/ Based on age-specific death rates by 5 year age groups per 100,000 population in specified groups. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940.

2/ Rates per 100,000 population.

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Total All Causes																					
Total	6,921	204	22	3	8	27	72	131	181	213	209	256	320	478	646	741	836	786	705	1,070	13
Black Male	2,854	111	13	2	4	19	51	80	119	136	110	144	189	249	306	355	314	266	198	181	7
Female	2,279	75	9	1	4	6	13	34	46	50	63	83	87	157	234	258	280	261	246	369	3
White Male	820	13	-	-	-	2	8	12	12	23	24	24	32	49	62	68	126	121	105	137	2
Female	968	5	-	-	-	-	-	5	4	4	12	5	12	23	44	60	116	138	156	383	1
01 Shigellosis and Amebiasis 004,006																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
02 Certain Other Intestinal Infections 007-009																					
Total	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis 010-018																					
Total	26	-	-	-	-	-	-	-	1	2	1	-	3	2	1	3	4	2	3	4	-
Black Male	19	-	-	-	-	-	-	-	1	2	-	-	1	2	1	3	2	2	2	3	-
Female	6	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	1	1	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
03 Tuberculosis of Respiratory System 010-012																					
Total	21	-	-	-	-	-	-	-	1	2	1	-	3	2	1	3	3	-	3	2	-
Black Male	14	-	-	-	-	-	-	-	1	2	-	-	1	2	1	3	1	-	2	1	-
Female	6	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	1	1	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
04 Other Tuberculosis 013-018																					
Total	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-
Black Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 Whooping Cough 003																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06 Streptococcal Sore Throat, Scarlatina and Erysipelas 034-035																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
07 Meningococcal Infection 036																					
Total	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
Black Male	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
08 Septicemia 038																					
Total	140	1	-	-	-	-	-	4	-	6	1	3	6	7	9	9	21	20	22	31	-
Black Male	56	1	-	-	-	-	-	2	-	3	-	1	4	3	5	5	10	9	6	7	-
Female	53	-	-	-	-	-	-	1	-	3	1	1	1	4	3	3	8	9	9	10	-
White Male	14	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	2	1	2	5	-
Female	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	9	-
09 Acute Poliomyelitis 045																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Measles 055																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
11 Viral Hepatitis 070																					
Total	4	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-
Black Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Syphilis 090-097																					
Total	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 All Other Infections and Parasitic Diseases 001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139																					
Total	58	1	-	-	-	-	2	5	4	12	1	6	4	5	3	5	3	1	3	3	-
Black Male	27	1	-	-	-	-	1	3	4	7	-	3	2	1	-	3	1	-	-	1	-
Female	12	-	-	-	-	-	1	-	-	2	-	-	-	3	3	-	2	-	1	-	-
White Male	14	-	-	-	-	-	-	2	-	3	1	3	2	1	-	-	-	1	1	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Cancer (including etc.) 140-208																					
Total	1,589	1	2	1	-	2	6	4	11	27	40	59	88	169	236	213	249	202	153	125	1
Black Male	674	-	1	-	-	1	3	2	3	8	18	28	55	84	106	104	99	69	58	34	1
Female	501	-	1	1	-	-	1	-	7	12	13	23	18	54	86	63	74	67	37	44	-
White Male	193	1	-	-	-	1	2	2	1	5	3	5	10	16	27	16	35	30	26	13	-
Female	221	-	-	-	-	-	-	-	-	2	6	3	5	15	17	30	41	36	32	34	-
14 Malignant Neoplasm of Lip, Oral Cavity and Pharynx 140-149																					
Total	55	-	-	-	-	-	-	-	-	1	1	5	7	9	12	7	3	4	3	3	-
Black Male	35	-	-	-	-	-	-	-	-	-	1	4	4	7	7	4	2	3	1	2	-
Female	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	-
White Male	10	-	-	-	-	-	-	-	-	-	-	1	1	-	5	1	-	-	1	1	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-
15 Malignant Neoplasm of Digestive Organs and Peritoneum 150-159																					
Total	438	-	-	-	-	-	-	-	1	5	7	15	19	43	66	63	59	62	43	54	1
Black Male	188	-	-	-	-	-	-	-	-	4	6	6	13	23	35	31	30	17	10	12	1
Female	152	-	-	-	-	-	-	-	1	-	1	6	3	15	21	21	17	29	15	23	-
White Male	51	-	-	-	-	-	-	-	-	-	-	2	3	4	7	5	6	11	10	3	-
Female	47	-	-	-	-	-	-	-	-	1	-	1	-	1	3	6	6	5	8	16	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
16 Malignant Neoplasm of Respiratory and Intrathoracic Organs 160-165																					
Total	412	-	-	-	-	1	1	-	-	4	12	22	26	52	77	61	75	38	28	15	-
Black Male	224	-	-	-	-	-	1	-	-	3	8	14	21	33	42	38	32	16	11	5	-
Female	100	-	-	-	-	-	-	-	-	1	2	7	3	12	23	13	21	10	4	4	-
White Male	51	-	-	-	-	1	-	-	-	-	2	1	2	6	8	4	13	7	5	2	-
Female	37	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	9	5	8	4	-
17 Malignant Neoplasm of Breast 174,175																					
Total	137	-	-	-	-	-	-	-	3	1	8	3	7	15	24	19	21	17	12	7	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	81	-	-	-	-	-	-	-	3	-	4	2	4	8	17	10	12	9	7	5	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	56	-	-	-	-	-	-	-	-	1	4	1	3	7	7	9	9	8	5	2	-
18 Malignant Neoplasm of Genital Organs 179-187																					
Total	186	-	-	-	-	-	-	1	1	3	3	2	5	15	17	25	42	27	34	11	-
Black Male	99	-	-	-	-	-	-	1	-	-	-	-	1	5	8	13	20	19	24	8	-
Female	48	-	-	-	-	-	-	-	1	3	2	2	4	7	7	8	10	-	3	1	-
White Male	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	6	2	-
Female	21	-	-	-	-	-	-	-	-	-	1	-	-	3	2	4	5	5	1	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
19 Malignant Neoplasm of Urinary Organs 188-189																					
Total	39	1	-	-	-	-	-	-	-	1	1	2	-	3	2	2	3	10	7	7	-
Black Male	20	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	2	4	4	1	-
Female	7	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	3	1	-
White Male	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-
20 Malignant Neoplasm of All Other and Unspecified Sites 170-173,190-199																					
Total	222	-	2	-	-	1	3	3	4	10	6	7	21	22	27	24	32	25	15	20	-
Black Male	84	-	1	-	-	1	2	1	3	1	1	2	13	11	7	13	9	7	7	5	-
Female	70	-	1	-	-	-	-	-	1	5	4	5	3	5	13	4	9	11	2	8	-
White Male	39	-	-	-	-	-	1	2	-	4	1	-	4	5	6	5	6	3	1	1	-
Female	29	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	8	4	5	6	-
21 Leukemia 204-208																					
Total	40	-	-	1	-	-	1	-	1	1	-	-	-	4	5	3	11	4	4	5	-
Black Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-
Female	21	-	-	1	-	-	1	-	1	1	-	-	-	3	2	2	3	3	2	2	-
White Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
22 Other Malignant Neoplasm of Lymphatic and Hematopoietic Tissue 200-203																					
Total	60	-	-	-	-	-	1	-	1	1	2	3	3	6	6	9	3	15	7	3	-
Black Male	17	-	-	-	-	-	-	-	-	-	1	1	3	2	2	3	-	3	1	1	-
Female	17	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	1	4	1	-	-
White Male	10	-	-	-	-	-	1	-	1	1	-	1	-	1	1	-	-	2	1	1	-
Female	16	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	6	4	1	-
23 Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec 210-239																					
Total	20	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	2	4	-	4	-
Black Male	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	1	-
Female	10	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	2	-	-	2	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
24 Diabetes Mellitus 250																					
Total	121	-	-	-	-	-	-	1	-	1	1	5	4	9	12	18	16	24	16	14	-
Black Male	40	-	-	-	-	-	-	-	-	1	-	2	2	4	6	8	5	5	5	2	-
Female	50	-	-	-	-	-	-	1	-	-	-	2	1	5	5	9	4	10	6	7	-
White Male	18	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	3	6	2	2	-
Female	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	3	3	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
25 Nutritional Deficiencies 260-269																					
Total	10	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	1	4	-
Black Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-
White Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
26 Anemias 280-285																					
Total	15	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	1	1	3	5	-
Black Male	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Female	7	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	2	1	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-
27 Meningitis 320-322																					
Total	13	2	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	3	1	2	-
Black Male	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	-
Female	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Major Cardiovascular Diseases 390-448																					
Total	2,721	2	2	-	1	3	3	12	27	37	54	81	125	165	234	310	362	355	345	599	4
Black Male	964	1	2	-	-	2	-	8	14	27	26	53	73	93	102	146	128	126	82	81	-
Female	960	1	-	-	1	1	3	3	11	10	21	25	40	55	88	115	132	114	130	208	2
White Male	316	-	-	-	-	-	-	1	2	-	4	2	10	15	25	34	52	56	47	67	1
Female	481	-	-	-	-	-	-	-	-	-	3	1	2	2	19	15	50	59	86	243	1

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Diseases of Heart 390-398,402,404-429																				
Total	2,133	2	1	-	-	2	2	9	17	26	38	62	96	136	200	259	289	279	272	440	3
Black Male	795	1	1	-	-	1	-	6	10	16	22	41	57	80	94	124	104	105	67	66	-
Female	742	1	-	-	-	1	2	2	6	10	13	18	30	41	72	92	107	89	100	157	1
White Male	246	-	-	-	-	-	-	1	1	-	2	2	9	13	19	30	41	42	37	48	1
Female	350	-	-	-	-	-	-	-	-	-	1	1	-	2	15	13	37	43	68	169	1
28 Rheumatic Fever and Rheumatic Heart Disease 390-398																				
Total	15	-	-	-	-	-	-	-	-	3	-	-	1	1	1	-	6	2	1	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	9	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	2	1	1	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-
29 Hypertensive Heart Disease 402																				
Total	223	-	-	-	-	-	-	-	1	1	5	10	14	22	32	34	34	22	20	27	1
Black Male	83	-	-	-	-	-	-	-	1	1	2	4	8	14	9	13	14	9	5	3	-
Female	104	-	-	-	-	-	-	-	-	-	3	5	6	8	17	16	16	9	8	15	1
White Male	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	1	2	-	-
Female	24	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	3	5	9	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
30 Hypertensive Heart and Renal Disease 404																					
Total	19	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	3	2	5	6	-
Black Male	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-
Female	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	-
White Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-
Ischemic Heart Disease 410-414																					
Total	835	-	-	-	-	-	-	3	6	10	17	26	40	44	72	85	104	113	110	205	-
Black Male	269	-	-	-	-	-	-	1	3	7	12	18	23	25	33	44	32	34	15	22	-
Female	261	-	-	-	-	-	-	1	3	3	4	7	12	13	22	25	38	29	40	64	-
White Male	138	-	-	-	-	-	-	1	-	-	1	1	5	5	11	13	21	26	25	29	-
Female	167	-	-	-	-	-	-	-	-	-	-	-	-	1	6	3	13	24	30	90	-
31 Acute Myocardial Infarction 410																					
Total	415	-	-	-	-	-	-	3	2	3	4	9	19	20	46	45	59	66	57	82	-
Black Male	132	-	-	-	-	-	-	1	1	1	4	7	12	9	18	24	17	18	8	12	-
Female	136	-	-	-	-	-	-	1	1	2	-	1	5	9	16	12	22	14	26	27	-
White Male	71	-	-	-	-	-	-	1	-	-	-	1	2	2	9	7	13	16	9	11	-
Female	76	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	7	18	14	32	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
32 Other Acute and Subacute Forms of Ischemic Heart Disease 411																					
Total.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Black Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33 Angina Pectoris 413																					
Total.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Black Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34 Old Myocardial Infarction and Other Forms of Chronic Ischemic Heart Disease 412,414																					
Total.....	417	-	-	-	-	-	-	-	4	7	13	17	21	24	26	39	45	46	53	122	-
Black Male.....	135	-	-	-	-	-	-	-	2	6	8	11	11	16	15	19	15	15	7	10	-
Female.....	124	-	-	-	-	-	-	-	2	1	4	6	7	4	6	13	16	15	14	36	-
White Male.....	67	-	-	-	-	-	-	-	-	-	1	-	3	3	2	6	8	10	16	18	-
Female.....	91	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	6	16	58	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
35 Other Diseases of Endocardium 424																					
Total	23	-	-	-	-	-	-	-	1	1	1	-	2	2	-	2	2	3	5	4	-
Black Male	8	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	2	-	-
Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	-
White Male	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-
36 All Other Forms of Heart Disease 415-423,425-429																					
Total	1,018	2	1	-	-	2	2	6	9	11	14	24	39	67	95	138	140	137	131	198	2
Black Male	428	1	1	-	-	1	-	5	5	7	7	17	25	39	52	67	56	61	44	40	-
Female	356	1	-	-	-	1	2	1	3	4	5	6	11	19	33	49	48	49	47	77	-
White Male	89	-	-	-	-	-	-	-	1	-	1	1	3	8	5	13	18	13	10	15	1
Female	145	-	-	-	-	-	-	-	-	-	1	-	-	1	5	9	18	14	30	66	1
37 Hypertension With or Without Renal Disease 401,403																					
Total	35	-	-	-	-	-	-	-	-	-	1	1	4	3	1	4	4	8	3	6	-
Black Male	10	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	2	1	-	-
Female	17	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	2	4	1	4	-
White Male	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Cerebrovascular Disease 430-438																					
Total.....	433	-	1	-	1	1	-	3	10	9	14	18	24	19	28	34	52	57	55	106	1
Black Male.....	125	-	1	-	-	1	-	2	4	9	3	11	15	9	6	10	17	17	9	11	-
Female.....	174	-	-	-	1	-	-	1	5	-	8	7	6	9	14	21	22	19	26	34	1
White Male.....	41	-	-	-	-	-	-	-	1	-	1	-	1	1	4	1	4	8	9	11	-
Female.....	93	-	-	-	-	-	-	-	-	-	2	-	2	-	4	2	9	13	11	50	-
38 Intracerebral and other Intracranial Hemorrhage 431-432																					
Total.....	125	-	1	-	1	1	-	1	2	5	7	12	16	8	9	10	14	14	13	11	-
Black Male.....	50	-	1	-	-	1	-	-	1	5	3	9	10	4	2	3	5	4	-	2	-
Female.....	48	-	-	-	1	-	-	1	1	-	4	3	4	4	5	6	6	5	5	3	-
White Male.....	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	4	3	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	4	3	-
39 Cerebral Thrombosis and Unspecified Occlusion of Cerebral Arteries 434.0,434.9																					
Total.....	58	-	-	-	-	-	-	-	3	1	-	-	1	2	2	1	9	7	8	24	-
Black Male.....	15	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	2	3	1	3	-
Female.....	15	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	6	4	-
White Male.....	7	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1	-	2	-
Female.....	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	15	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
40 Cerebral Embolism 434.1																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
41 All Other & Late Effects of Cerebrovascular Disease 430,433,435-438																					
Total	249	-	-	-	-	-	-	2	5	3	7	6	7	9	17	23	29	36	33	71	1
Black Male	60	-	-	-	-	-	-	2	2	3	-	2	4	4	3	6	10	10	8	6	-
Female	111	-	-	-	-	-	-	-	3	-	4	4	2	5	9	15	14	12	15	27	1
White Male	22	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	6	5	6	-
Female	56	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	5	8	5	32	-
42 Atherosclerosis 440																					
Total	77	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	9	8	11	38	-
Black Male	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	2	2	3	-
Female	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	10	-
White Male	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	-	5	-
Female	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	20	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
43 Other Diseases of Arteries, Arterioles and Capillaries 441-448																					
Total	43	-	-	-	-	-	1	-	-	2	1	-	1	5	2	7	8	3	4	9	-
Black Male	16	-	-	-	-	-	-	-	-	2	1	-	-	1	-	5	3	-	3	1	-
Female	11	-	-	-	-	-	1	-	-	-	-	-	1	3	1	-	1	1	-	3	-
White Male	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	3	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-
44 Acute Bronchitis and Bronchiolitis 466																					
Total	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and Influenza 480-487																					
Total	232	2	-	-	1	1	-	1	2	7	5	6	12	6	20	24	23	26	26	68	2
Black Male	99	1	-	-	-	1	-	1	1	4	2	4	7	4	13	16	12	11	8	13	1
Female	74	1	-	-	1	-	-	-	1	3	3	2	3	1	7	6	6	6	12	22	-
White Male	29	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	3	4	15	1
Female	30	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	6	2	18	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
45 Pneumonia 480-486																					
Total	231	2	-	-	1	1	-	1	2	7	5	6	12	6	20	24	22	26	26	68	2
Black Male	99	1	-	-	-	1	-	1	1	4	2	4	7	4	13	16	12	11	8	13	1
Female	73	1	-	-	1	-	-	-	1	3	3	2	3	1	7	6	5	6	12	22	-
White Male	29	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	3	4	15	1
Female	30	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	6	2	18	-
46 Influenza 487																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Obstructive Pulmonary Disease, etc. 490-496																					
Total	152	-	-	-	1	-	-	2	-	2	1	3	7	6	13	19	26	26	22	24	-
Black Male	53	-	-	-	-	-	-	2	-	-	-	1	3	2	6	12	10	7	6	4	-
Female	29	-	-	-	1	-	-	-	-	2	1	1	2	1	4	2	2	2	7	4	-
White Male	45	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	11	9	4	9	-
Female	25	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	8	5	7	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
47 Bronchitis, Chronic and Unspecified 490-491																					
Total	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
48 Emphysema 492																					
Total	25	-	-	-	-	-	-	1	-	-	-	-	2	-	2	3	7	5	4	1	-
Black Male	10	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	2	2	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
White Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-
49 Asthma 493																					
Total	20	-	-	-	1	-	-	1	-	1	1	2	-	3	3	6	1	-	-	1	-
Black Male	9	-	-	-	-	-	-	1	-	-	-	1	-	1	1	5	-	-	-	-	-
Female	7	-	-	-	1	-	-	-	-	1	1	1	-	1	1	1	-	-	-	-	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
50 Other Chronic Obstructive Pulmonary Disease and Allied Conditions 494-496																					
Total	104	-	-	-	-	-	-	-	-	1	-	1	5	3	8	10	18	19	18	21	-
Black Male	34	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	8	5	6	4	-
Female	18	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	2	1	6	4	-
White Male	35	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	7	5	3	9	-
Female	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	8	3	4	-
51 Ulcer of Stomach and Duodenum 531-533																					
Total	30	-	-	-	-	-	-	-	1	-	-	-	1	2	1	6	3	3	6	7	-
Black Male	12	-	-	-	-	-	-	-	1	-	-	-	1	1	1	4	1	1	1	1	-
Female	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-
52 Appendicitis 540-543																					
Total	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																			
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
53 Hernia of Abdominal Cavity and Intestinal Obstruction without Mention of Hernia 550-553,560																					
Total	32	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	2	6	6	12	-
Black Male	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	2	-
Female	9	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	2	1	-
White Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-
Female	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	6	-
54 Chronic Liver Disease and Cirrhosis 571																					
Total	168	-	-	-	-	-	-	-	7	11	12	23	17	21	24	20	16	8	4	5	-
Black Male	91	-	-	-	-	-	-	-	5	7	8	12	8	16	12	9	10	3	-	1	-
Female	51	-	-	-	-	-	-	-	2	2	4	8	8	2	10	7	3	2	2	1	-
White Male	15	-	-	-	-	-	-	-	-	2	-	2	-	3	1	1	3	2	1	-	-
Female	11	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	1	1	3	-
55 Cholelithiasis and other Disorders of Gallbladder 574-575																					
Total	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	2	-
Black Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Nephritis, Nephrotic Syndrome and Nephrosis 580-589																					
Total.....	95	-	-	-	-	-	1	1	4	6	1	3	2	6	6	16	9	15	12	13	-
Black Male.....	40	-	-	-	-	-	-	1	2	5	1	2	1	4	3	5	4	6	3	3	-
Female.....	44	-	-	-	-	-	-	-	1	1	-	-	1	2	3	9	5	7	6	9	-
White Male.....	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	2	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	1	-
56 Acute Glomeruloneph-ritis and Nephrotic Syndrome 580-581																					
Total.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
57 Chron Glom-eruloneph, Neph and Nephropathy, Nos, and Renal Sclerosis, un-spec. 582-583,587																					
Total.....	5	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	1	-
Black Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
58 Renal Fail, Disorders from Impaired Renal FCN and Small Kidney of unknown cause 584-586,588-589																					
Total	89	-	-	-	-	-	1	-	3	6	1	3	1	6	6	16	9	14	12	11	-
Black Male	38	-	-	-	-	-	-	-	2	5	1	2	-	4	3	5	4	6	3	3	-
Female	42	-	-	-	-	-	-	-	1	1	-	-	1	2	3	9	5	6	6	8	-
White Male	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	2	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
59 Infections of Kidney 590																					
Total	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	1	-
Black Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
60 Hyperplasia of Prostate 600																					
Total	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Black Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of Pregnancy Childbirth, and the Puerperium 630-676																					
Total	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
61 Pregnancy with Abortive Outcome 630-638																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62 Other Complications of Pregnancy, Childbirth & the Puerperium 640-676																					
Total	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
63 Congenital Anomalies 740-759																					
Total	44	31	5	-	1	-	-	-	1	-	-	1	1	1	-	-	1	-	1	1	-
Black Male	18	12	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
Female	18	12	2	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
White Male	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985—CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
Certain Perinatal Conditions 760-779																				
Total	132	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Black Male	75	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64 Birth Trauma, Intrauterine Hypoxia, Birth Asphyxia and RDS 767-769																				
Total	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 Other Conditions Originating in the Perinatal Period 760-766,770-779																				
Total	109	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Black Male	62	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
68 Motor Vehicle Accidents 810-825																					
Total	58	-	3	1	1	3	8	4	9	6	3	1	3	4	4	2	4	1	1	-	-
Black Male	45	-	2	1	1	2	8	3	5	5	2	1	3	3	3	2	2	1	1	-	-
Female	4	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
White Male	7	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
69 All Other Accidents and Adverse Effects 800-807,826-949																					
Total	214	5	2	-	-	-	9	16	30	23	17	12	7	7	9	18	13	10	11	21	4
Black Male	124	3	-	-	-	-	5	11	25	17	12	8	4	3	7	8	8	2	3	4	4
Female	46	2	2	-	-	-	1	4	4	4	4	2	2	-	2	6	2	5	2	4	-
White Male	26	-	-	-	-	-	3	-	1	2	1	2	1	3	-	2	3	2	3	3	-
Female	18	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	3	10	-
70 Suicide 950-959																					
Total	43	-	-	-	1	1	9	7	6	3	3	1	3	3	2	1	1	1	1	-	-
Black Male	21	-	-	-	1	-	7	4	3	1	-	1	-	2	1	1	-	-	-	-	-
Female	4	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
White Male	12	-	-	-	-	-	2	1	2	1	2	-	1	-	1	-	1	-	1	-	-
Female	6	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	1	-	-	-

Table 24.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																		
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
66 Symptoms, Signs and Ill-Defined Conditions 780-799																					
Total	61	18	1	-	1	1	-	6	3	3	3	2	-	2	6	2	3	3	3	4	-
Black Male	31	11	1	-	1	-	-	4	3	2	1	-	-	1	4	-	2	-	1	-	-
Female	22	6	-	-	-	1	-	1	-	1	1	2	-	-	1	2	-	3	1	3	-
White Male	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-
Female	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-
67 All Other Diseases Residual																					
Total	728	9	1	-	-	2	4	33	43	48	41	40	26	48	50	63	70	71	64	114	1
Black Male	293	5	-	-	-	1	2	18	29	31	23	22	17	22	27	25	16	18	18	19	-
Female	259	2	1	-	-	1	2	11	10	7	11	12	6	22	16	28	32	30	23	44	1
White Male	88	2	-	-	-	-	-	2	4	9	6	6	2	4	4	4	12	9	9	15	-
Female	88	-	-	-	-	-	-	2	-	1	1	-	1	-	3	6	10	14	14	36	-
Accidents and Adverse Effects 800-949																					
Total	272	5	5	1	1	3	17	20	39	29	20	13	10	11	13	20	17	11	12	21	4
Black Male	169	3	2	1	1	2	13	14	30	22	14	9	7	6	10	10	10	3	4	4	4
Female	50	2	3	-	-	-	1	4	6	4	4	2	2	-	3	6	2	5	2	4	-
White Male	33	-	-	-	-	1	3	1	2	3	2	2	1	4	-	2	4	2	3	3	-
Female	20	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	1	1	3	10	-

Table 24.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1985-CONTINUED

Cause	Total	Age (in years)																			
		Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Not stated
71 Homicide and legal intervention 960-978																					
Total	149	-	2	1	1	14	25	29	24	14	20	6	3	4	3	2	1	-	-	-	-
Black Male	120	-	2	1	1	12	21	19	20	13	15	6	3	2	3	1	1	-	-	-	-
Female	23	-	-	-	-	2	4	8	3	1	3	-	-	1	-	1	-	-	-	-	-
White Male	5	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
72 All Other External Causes 980-999																					
Total	31	-	4	-	-	-	4	3	5	2	2	-	2	1	5	-	-	-	-	3	-
Black Male	15	-	2	-	-	-	3	1	1	1	1	-	1	1	3	-	-	-	-	1	-
Female	12	-	2	-	-	-	1	2	3	1	-	-	-	-	2	-	-	-	-	1	-
White Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-

Table 25a.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD:
DISTRICT OF COLUMBIA, 1985

Rank	Cause of Death	Total	All Races								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total All Causes	6,921	888	892	818	1,075	1,063	790	807	543	45
01	Diseases of Heart (390-398,402,404-429)	2,133	284	254	273	350	319	257	231	153	12
02	Cancer (including etc.)(140-208)	1,589	195	195	203	256	254	178	202	102	4
03	Cerebrovascular Disease (430-438)	433	40	46	80	80	72	35	54	25	1
04	Accidents and Adverse Effects (800-949)	272	35	37	23	39	39	33	33	24	9
05	Pneumonia and Influenza (480-487)	232	30	42	27	30	28	26	29	15	5
06	Chronic Liver Disease and Cirrhosis (571)	168	30	22	9	23	32	20	12	18	2
07	Chronic Obstructive Pulmonary Disease, etc. (490-496)	152	22	13	28	31	19	15	12	12	-
08	Homicide and Legal Intervention (960-978)	149	17	12	-	13	29	17	29	31	1
09	Septicemia (038)	140	23	22	10	20	20	11	20	14	-
10	Certain Perinatal Conditions (760-779)	132	21	11	3	15	22	16	19	25	-
11	Diabetes Mellitus (250)	121	10	14	12	15	25	13	17	14	1
12	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	95	11	12	6	16	20	10	14	6	-
13	Atherosclerosis (440)	77	10	10	22	12	5	10	5	3	-
14	Congenital Anomalies (740-759)	44	7	8	3	5	5	3	5	8	-
15	Suicide (950-959)	43	8	10	6	6	4	2	4	2	1
16	Hypertension with or without Renal Disease (401,403)	35	8	6	1	6	4	6	1	3	-
17	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	32	3	7	4	8	4	2	2	2	-
18	Ulcer of Stomach and Duodenum (531-533)	30	3	5	6	5	1	5	3	1	1
19	Tuberculosis (010-018)	26	4	1	-	4	5	6	3	3	-
20	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	20	1	2	2	3	5	2	4	1	-
21	Residual	998	126	163	100	138	151	123	108	81	8

Table 25b.—RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD: DISTRICT OF COLUMBIA, 1985 - CONTINUED

Rank	Cause of Death	Total	Black								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total All Causes	5,133	712	593	47	837	993	687	743	494	27
01	Diseases of Heart (390-398,402,404-429)	1,537	228	159	17	273	291	222	209	132	6
02	Cancer (including etc.)(140-208)	1,175	160	121	14	204	238	155	186	95	2
03	Cerebrovascular Disease (430-438)	299	35	30	4	61	66	30	52	20	1
04	Accidents and Adverse Effects (800-949)	219	29	26	-	35	37	29	33	23	7
05	Pneumonia and Influenza (480-487)	173	24	33	-	22	26	24	27	15	2
06	Chronic Liver Disease and Cirrhosis (571)	142	24	18	1	17	32	20	12	16	2
07	Chronic Obstructive Pulmonary Disease, etc. (490-496)	82	14	8	-	14	17	9	10	10	-
08	Homicide and Legal Intervention (960-978)	143	14	10	-	13	28	17	29	31	1
09	Septicemia (038)	109	20	14	-	16	19	11	17	12	-
10	Certain Perinatal Conditions (760-779)	125	18	11	-	15	21	16	19	25	-
11	Diabetes Mellitus (250)	90	7	11	1	10	25	11	12	13	-
12	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	84	11	11	-	15	20	9	13	5	-
13	Atherosclerosis (440)	34	7	5	1	6	4	6	2	3	-
14	Congenital Anomalies (740-759)	36	5	7	-	5	4	2	5	8	-
15	Suicide (950-959)	25	4	6	-	3	4	2	4	2	-
16	Hypertension with or without Renal Disease (401,403)	27	7	3	-	5	3	6	1	2	-
17	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	17	1	3	-	5	3	2	2	1	-
18	Ulcer of Stomach and Duodenum (531-533)	22	2	5	1	5	1	5	2	1	-
19	Tuberculosis (010-018)	25	4	1	-	4	5	5	3	3	-
20	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	16	1	2	-	2	4	2	4	1	-
21	Residual	753	97	109	8	107	145	104	101	76	6

Table 25c.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD: DISTRICT OF COLUMBIA, 1985 - CONTINUED

Rank	Cause of Death	Total	White								
			Ward								
			1	2	3	4	5	6	7	8	Unk.
	Total All Causes	1,788	176	299	771	238	70	103	64	49	18
01	Diseases of Heart (390-398,402,404-429)	596	56	95	256	77	28	35	22	21	6
02	Cancer (including etc.)(140-208)	414	35	74	189	52	16	23	16	7	2
03	Cerebrovascular Disease (430-438)	134	5	16	76	19	6	5	2	5	-
04	Accidents and Adverse Effects (800-949)	53	6	11	23	4	2	4	-	1	2
05	Pneumonia and Influenza (480-487)	59	6	9	27	8	2	2	2	-	3
06	Chronic Liver Disease and Cirrhosis (571)	26	6	4	8	6	-	-	-	2	-
07	Chronic Obstructive Pulmonary Disease, etc. (490-496)	70	8	5	28	17	2	6	2	2	-
08	Homicide and Legal Intervention (960-978)	6	3	2	-	-	1	-	-	-	-
09	Septicemia (038)	31	3	8	10	4	1	-	3	2	-
10	Certain Perinatal Conditions (760-779)	7	3	-	3	-	1	-	-	-	-
11	Diabetes Mellitus (250)	31	3	3	11	5	-	2	5	1	1
12	Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	11	-	1	6	1	-	1	1	1	-
13	Atherosclerosis (440)	43	3	5	21	6	1	4	3	-	-
14	Congenital Anomalies (740-759)	8	2	1	3	-	1	1	-	-	-
15	Suicide (950-959)	18	4	4	6	3	-	-	-	-	1
16	Hypertension with or without Renal Disease (401,403)	8	1	-	5	-	-	-	1	-	1
17	Hernia of Abdominal Cavity & Intestinal Obstruction without Mention of Hernia (550-553,560)	15	2	4	4	3	1	-	-	1	-
18	Ulcer of Stomach and Duodenum (531-533)	8	1	3	1	1	1	-	-	1	-
19	Tuberculosis (010-018)	1	-	-	-	-	-	1	-	-	-
20	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	4	-	-	2	1	1	-	-	-	-
21	Residual	245	29	54	92	31	6	19	7	5	2

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1985

	Cause of Death	Total	Less than one day	1-6 days	7-27 days	28 days - 5 months	6-11 months
	Total	204	102	35	19	32	16
01	Certain Intestinal Infections	-	-	-	-	-	-
02	Whooping Cough	-	-	-	-	-	-
03	Meningococcal Infection	-	-	-	-	-	-
04	Septicemia	1	-	-	-	1	-
05	Viral Diseases	1	-	-	1	-	-
06	Congenital Syphilis	-	-	-	-	-	-
07	Remainder of Infections and Parasitic Diseases	-	-	-	-	-	-
08	Malignant Neoplasms, Including Neoplasm of Lymphatic & Hematopoietic Tissues	1	-	-	-	-	1
09	Benign Neoplasms, Carcinoma in Situ, and Neoplasms Nec	-	-	-	-	-	-
10	Diseases of Thymus Gland	-	-	-	-	-	-
11	Cystic Fibrosis	-	-	-	-	-	-
12	Diseases of Blood and Blood-Forming Organs	-	-	-	-	-	-
13	Meningitis	2	-	-	-	2	-
14	Other Diseases of Nervous System and Sense Organs	-	-	-	-	-	-
15	Acute Upper Respiratory Infections	-	-	-	-	-	-
16	Bronchitis and Bronchiolitis	1	-	-	-	1	-
	Pneumonia and Influenza	2	-	-	-	-	2
17	Pneumonia	2	-	-	-	-	2
18	Influenza	-	-	-	-	-	-
19	Remainder of Diseases of Respiratory System	1	-	-	-	1	-
20	Hernia of Abdominal Cavity & Intestinal Obstruction Without Mention of Hernia	-	-	-	-	-	-
21	Gastritis, Duodenitis, & Noninfective Enteritis & Colitis	2	-	-	-	1	1
22	Remainder of Diseases of Digestive System	2	-	-	-	1	1
	Congenital Anomalies	31	13	8	2	6	2
23	Anencephalus and Similar Anomalies	3	2	1	-	-	-

Table 26.—RESIDENT INFANT DEATHS BY CAUSE AND AGE: DISTRICT OF COLUMBIA, 1985-CONTINUED

	Cause of Death	Total	Less than one day	1-6 days	7-27 days	28 days - 5 months	6-11 months
24	Spina Bifida	1	1	-	-	-	-
25	Congenital Hydrocephalus	-	-	-	-	-	-
26	Other Congenital Anomalies of Central Nervous System and Eye	1	-	-	-	-	1
27	Congenital Anomalies of Heart	7	-	2	2	2	1
28	Other Congenital Anomalies of Circulatory System	3	-	2	-	1	-
29	Congenital Anomalies of Respiratory System	1	1	-	-	-	-
30	Congenital Anomalies of Digestive System	-	-	-	-	-	-
31	Congenital Anomalies of Genitourinary System	3	3	-	-	-	-
32	Congenital Anomalies of Musculoskeletal System	5	4	1	-	-	-
33	Downs Syndrome	-	-	-	-	-	-
34	Other Chromosomal Anomalies	2	1	1	-	-	-
35	All Other and Unspecified Congenital Anomalies	5	1	1	-	3	-
	Certain Conditions Originating in the Perinatal Period	131	88	26	12	5	-
36	Newborn Affected by Maternal Conditions Which May be Unrelated to Present Pregnancy	-	-	-	-	-	-
37	Newborn Affected by Maternal Complications of Pregnancy	6	6	-	-	-	-
38	Newborn Affected by Complications of Placenta, Cord and Membranes	2	1	-	1	-	-
39	Newborn Affected by Other Complications of Labor and Delivery	-	-	-	-	-	-
40	Slow Fetal Growth and Fetal Malnutrition	-	-	-	-	-	-
41	Disorders Relating to Short Gestation and Unspecified Low Birth Weight	40	38	2	-	-	-
42	Disorders Relating to Long Gestation and High Birth Weight	-	-	-	-	-	-
43	Birth Trauma	3	1	-	2	-	-
	Intrauterine Hypoxia and Birth Asphyxia	6	5	1	-	-	-
44	Fetal Distress in Liveborn Infant	-	-	-	-	-	-
45	Birth Asphyxia	6	5	1	-	-	-
46	Respiratory Distress Syndrome	14	2	9	2	1	-
47	Other Respiratory Conditions of Newborn	40	25	8	4	3	-

Table 26.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1985-CONTINUED

	Cause of Death	Total	Less than One Day	1-6 Days	7-27 Days	28 Days - 5 months	6-11 months
48	Infections Specific to the Perinatal Period.....	4	1	1	2	-	-
49	Neonatal Hemorrhage.....	4	1	2	1	-	-
50	Hemolytic Disease of Newborn, Due to Isoimmu., & Other Perinatal Jaundice.....	-	-	-	-	-	-
51	Syndrome of 'Infant of a Diabetic Mother' and Neonatal Diabetes Mellitus.....	-	-	-	-	-	-
52	Hemorrhagic Disease of Newborn.....	-	-	-	-	-	-
53	All Other and Ill-Defined Conditions Originating in the Perinatal Period.....	12	8	3	-	1	-
	Symptoms, Signs and Ill-Defined Conditions....	18	-	1	3	10	4
54	Sudden Infant Death Syndrome.....	18	-	1	3	10	4
55	Symptoms, Signs, and All Other Ill-Defined Conditions.....	-	-	-	-	-	-
	Accidents and Adverse Effects.....	5	-	-	-	2	3
56	Inhal and Ingest Food or Other OBJ Causing Obstr of Resp Tract or Suffocation.....	2	-	-	-	1	1
57	Accidental Mechanical Suffocation.....	1	-	-	-	-	1
58	Other Accidental Causes and Adverse Effects.....	2	-	-	-	1	1
	Homicide.....	-	-	-	-	-	-
59	Child Battering and Other Maltreatment.....	-	-	-	-	-	-
60	Other Homicide.....	-	-	-	-	-	-
61	All Other Causes.....	6	1	-	1	2	2

Table 27.—RESIDENT INFANT DEATHS BY CAUSE: DISTRICT OF COLUMBIA, 1983 - 1985

Cause of death	Total	1985	1984	1983
Total	579	204	202	173
Certain conditions originating in the perinatal period	379	131	135	113
Newborn affected by maternal complications of pregnancy	21	6	5	10
Newborn affected by complications of placenta, cord and membranes	6	2	2	2
Disorders relating to short gestation and unspecified low birth weight	127	40	46	41
Birth trauma	5	3	-	2
Fetal distress in liveborn infant	2	-	2	-
Birth asphyxia	18	6	9	3
Respiratory distress syndrome	67	14	35	18
Other respiratory conditions of newborn	85	40	24	21
Infections specific to the perinatal period	10	4	1	5
Neonatal hemorrhage	7	4	2	1
All other and ill-defined conditions originating in the perinatal period	31	12	9	10
Symptoms, signs and ill-defined conditions	63	18	20	25
Sudden infant death syndrome	59	18	18	23
Symptoms, signs, and all other ill-defined conditions	4	-	2	2
Congenital anomalies	81	31	28	22
Anencephalus and similar anomalies	6	3	2	1
Spina Bifida	1	1	-	-
Congenital hydrocephalus	1	-	1	-
Other congenital anomalies of central nervous system and eye	2	1	1	-
Congenital anomalies of heart	23	7	11	5
Other congenital anomalies of circulatory system	10	3	4	3
Congenital anomalies of respiratory system	4	1	1	2
Congenital anomalies of digestive system	2	-	-	2
Congenital anomalies of genitourinary system	3	3	-	-
Congenital anomalies of musculoskeletal system	8	5	2	1
Downs syndrome	1	-	1	-
Other chromosomal anomalies	6	2	1	3
All other and unspecified congenital anomalies	14	5	4	5

Table 27.—RESIDENT INFANT DEATHS BY CAUSE: DISTRICT OF COLUMBIA, 1983 - 1985 - CONTINUED

Cause of death	Total	1985	1984	1983
Accidents and adverse effects	10	5	5	-
Accidental mechanical suffocation	3	1	2	-
Other accidental causes and adverse effects	7	4	3	-
Homicide	2	-	-	2
Child battering and other maltreatment	2	-	-	2
Other homicide	-	-	-	-
Septicemia	2	1	1	-
Remainder of infections and parasitic diseases	2	1	-	1
Benign neoplasms, carcinoma in situ, and neoplasms nec	1	1	-	-
Diseases of blood and blood-forming organs	1	-	-	1
Meningitis	4	2	2	-
Other diseases of nervous system and sense organs	1	-	-	1
Bronchitis and bronchiolitis	4	1	2	1
Pneumonia	7	2	3	2
Remainder of diseases of respiratory system	2	1	-	1
Gastritis, duodenitis, & noninfective enteritis & colitis	5	2	2	1
Remainder of diseases of digestive system	2	2	-	-
All other causes	13	6	4	3

Table 28.—RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1985

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births [a]	Deaths	
					All Ages	Under 1 Year of Age
Total.....	9,840	5,740	271	1,295	6,921	204
Residence Unknown.....	34	23	2	6	44	2
1.1 [b].....	39	5	-	3	43	1
1.2 [b].....	1	-	-	-	2	-
2.....	21	1	-	1	19	-
3.....	42	2	-	2	31	-
4.....	12	2	-	1	11	-
5.2.....	44	6	-	3	38	-
5.3 [b].....	10	2	-	-	16	-
5.4 [b].....	10	1	1	1	10	-
6.....	44	7	-	2	84	-
7.1.....	21	3	-	2	71	1
7.2.....	26	7	-	1	22	1
8.1.....	46	4	1	3	53	1
8.2.....	27	4	-	-	17	-
9.1.....	38	2	1	2	34	-
9.2.....	26	-	-	1	20	1
10.1.....	84	4	1	2	73	1
10.2.....	22	3	1	-	18	-
11.....	51	4	-	2	53	-
12.....	57	9	-	2	44	-
13.1.....	19	1	-	-	48	-
13.2.....	40	8	1	1	49	-
14.....	79	9	-	6	74	1
15.....	72	3	2	2	67	-
16.....	36	9	1	6	40	2
17.....	76	26	2	9	62	2
18.1.....	1	1	-	-	1	-
18.3.....	40	18	-	1	31	-
18.4.....	69	34	2	5	37	1

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1985-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births [a]	Deaths	
					All Ages	Under 1 year of Age
19.1.....	47	30	-	7	66	1
19.2.....	23	15	1	1	34	-
20.1.....	38	22	-	4	25	2
20.2.....	54	29	-	10	57	-
21.1.....	84	54	1	16	68	1
21.2.....	63	34	2	13	74	2
22.1.....	48	30	1	5	58	-
22.2.....	46	30	1	7	42	-
23.1.....	51	32	1	5	58	1
23.2.....	5	-	-	1	137	-
24.....	55	38	1	6	63	1
25.1.....	46	25	2	4	47	2
25.2.....	71	39	3	7	54	-
26.0.....	23	4	-	3	34	-
27.1.....	93	45	2	13	40	3
27.2.....	134	59	5	7	60	-
28.....	190	97	2	16	66	-
29.....	81	56	4	12	55	3
30.....	51	31	1	4	41	-
31	49	35	2	7	41	1
32.....	91	67	3	11	70	1
33.1.....	64	48	-	11	49	2
33.2.....	35	24	2	9	49	4
34.....	61	51	1	8	64	6
35.....	45	30	4	7	52	-
36.....	114	82	6	15	60	5
37.....	112	79	6	28	58	3
38.....	95	41	3	14	35	2
39.....	93	35	2	10	32	3
40.....	75	20	4	5	56	2
41.....	24	4	-	-	14	-

Table 28.—RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1985-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births [a]	Deaths	
					All Ages	Under 1 year of Age
42.1.....	64	26	7	8	24	2
42.2.....	25	8	-	3	16	-
43.....	56	26	1	9	43	-
44.....	39	27	1	5	33	1
45.....	32	21	3	3	28	1
46.....	103	80	4	19	54	1
47.....	93	66	3	12	99	4
48.1.....	51	35	1	6	52	1
48.2.....	62	43	2	8	44	2
49.1.....	52	33	1	8	28	1
49.2.....	31	22	2	2	31	-
50.....	92	52	3	17	83	1
51.....	7	1	-	-	42	-
52.1.....	40	18	-	7	35	1
52.2.....	13	11	-	2	5	-
53.1.....	55	23	2	5	22	-
53.2.....	3	3	-	1	4	-
54.1.....	7	1	-	-	6	-
54.2.....	2	1	-	-	4	-
55.1.....	19	1	-	1	27	-
55.2.....	8	1	-	1	2	-
56.....	23	3	1	2	43	-
57.1.....	9	4	-	-	22	-
57.2.....	2	1	-	-	-	-
58.....	8	1	-	2	25	-
59.....	13	9	1	2	33	-
60.1.....	31	10	2	3	10	-
60.2.....	25	21	2	6	2	-
61.....	14	1	1	2	18	-
62.3 [b].....	5	3	-	2	3	-
62.4 [b].....	3	1	-	1	1	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1985-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births [a]	Deaths	
					All Ages	Under 1 year of Age
63.1.....	17	3	-	-	24	-
63.2.....	2	-	-	-	2	-
64.....	61	47	-	6	31	1
65.....	21	5	-	1	18	-
66.....	12	2	1	1	11	-
67.....	44	13	-	4	33	2
68.1	52	35	4	5	42	2
68.2.....	42	33	2	10	40	4
68.4.....	1	1	-	-	3	-
69.0.....	30	20	-	1	27	-
70.....	26	10	-	2	13	-
71.....	49	33	2	8	36	-
72.....	53	41	3	11	37	1
73.1.....	189	13	1	18	4	-
73.2.....	101	68	1	13	43	1
73.4.....	115	97	4	16	48	5
73.8.....	1	-	-	-	27	1
74.1.....	77	61	5	17	28	4
74.4.....	125	106	7	23	35	1
74.5.....	202	148	3	23	61	8
74.6.....	90	74	4	17	21	1
74.7.....	98	74	-	20	31	2
74.8.....	57	38	-	14	22	4
75.1.....	153	113	5	34	65	4
75.3 [b]...	76	59	6	10	34	2
75.4 [b]....	36	24	-	4	3	-
76.1.....	96	60	2	20	59	2
76.3.....	51	18	3	8	42	1
76.4.....	85	51	3	11	34	-
76.5.....	53	30	-	4	28	1
77.1 [b]...	33	17	-	7	13	1
77.2 [b]...	18	14	2	3	8	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1985-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births [a]	Deaths	
					All Ages	Under 1 year of Age
77.3.....	131	104	8	19	34	2
77.7.....	73	48	2	15	58	4
77.8.....	55	39	1	5	26	2
78.3.....	97	70	1	15	53	-
78.4.....	42	28	3	7	46	-
78.5.....	98	55	3	14	70	1
78.7.....	34	24	-	6	24	2
78.8.....	118	93	5	22	53	2
79.1.....	73	61	1	11	60	2
79.3.....	35	21	1	6	38	1
80.1.....	62	48	1	5	38	3
80.2.....	62	36	-	6	61	-
81.....	46	19	1	3	26	-
82.....	23	-	1	-	11	1
83.3 [b].....	15	10	-	4	12	1
83.4 [b].....	28	17	1	4	21	-
83.5 [b].....	7	5	-	-	4	-
83.6 [b].....	24	10	-	3	22	-
84.2.....	34	14	4	4	37	1
84.3 [b].....	11	7	-	1	6	-
84.4 [b].....	30	25	-	2	27	-
85.....	69	49	2	7	54	1
86.1 [b].....	3	3	-	1	4	-
86.2 [b].....	6	6	-	1	8	-
87.1.....	54	42	4	12	49	1
87.2.....	37	25	1	10	29	3
88.2.....	90	57	4	11	79	1
88.3.....	30	23	1	2	20	-
88.4.....	74	49	1	17	36	1
89.3.....	77	61	4	13	54	2
89.4.....	70	55	-	8	50	2
89.5.....	-	-	-	-	-	-

Table 28.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1985-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births [a]	Deaths	
					All Ages	Under 1 year of Age
90.1.....	10	3	-	2	39	-
90.2.....	30	22	3	4	23	1
91.1.....	47	30	1	7	66	1
91.2.....	105	78	3	16	52	2
92.1.....	24	8	2	2	18	-
92.2.....	90	63	1	17	112	1
93.1.....	42	24	-	6	43	-
93.2.....	47	29	-	8	26	-
94.....	67	41	1	11	55	2
94.8[b]/....	3	1	-	-	4	-
94.9[b]/....	27	15	1	2	29	-
95.2.....	67	30	-	7	74	4
95.3.....	25	9	-	-	46	1
95.4[b]/....	72	37	1	9	31	2
95.5.....	31	16	1	3	36	1
95.6[b]/....	5	2	-	-	3	-
95.7.....	18	9	-	2	16	-
96.1.....	75	65	1	13	30	3
96.2.....	55	43	1	3	23	1
96.3.....	33	15	1	5	34	3
96.4.....	38	21	-	7	56	1
97.....	155	138	3	28	32	7
98.1.....	87	63	1	19	23	4
98.2.....	42	37	1	7	14	1
98.3.....	74	52	2	9	20	3
98.4.....	48	28	2	8	11	-
98.5.....	28	22	-	5	14	-
98.6.....	120	88	1	8	30	1
98.7.....	109	79	2	13	36	1
98.8.....	43	27	1	5	10	-
98.9.....	5	4	-	-	30	-
99.1.....	21	9	2	2	32	1

Table 28.—RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS, TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1985-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births [a]	Deaths	
					All Ages	Under 1 year of Age
99.2.....	46	24	-	5	34	-
99.3.....	75	59	4	12	62	2
99.4.....	120	90	5	16	32	2
99.5.....	67	50	3	10	33	2
99.6.....	44	36	1	8	31	1
99.7.....	36	24	1	4	18	-

a/With birth weight of 2,500 grams or less.

b/Pseudo tract number created for tracts split by ward boundaries.

Table 29.--RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT: DISTRICT OF COLUMBIA, 1985

Type of Accident	Total	Age (in years)					
		Under 5	5-14	15-24	25-44	45-64	65 and over
Total 1/	373	15	10	50	136	60	102
Work	8	-	-	2	5	1	-
Construction	4	-	-	1	3	-	-
Transportation and Public Utilities	1	-	-	-	1	-	-
Trade	1	-	-	1	-	-	-
Service	1	-	-	-	-	1	-
Government	1	-	-	-	-	1	-
Home	134	9	1	5	33	31	55
Poisonings (Gas excepted)	21	-	-	-	18	1	2
Poisonings by Gas and Vapors	1	-	-	-	1	-	-
Falls	47	-	-	2	8	10	27
Fires	34	2	-	1	6	11	14
Drowning	10	2	1	1	-	1	5
Suffocation, Ingested Food or Object	7	3	-	-	-	1	3
Suffocation, Mechanical	2	2	-	-	-	-	-
Other and Unspecified Home Accidents	12	-	-	1	-	7	4
Motor Vehicle	101	4	8	30	28	18	13
Injury to Pedestrian	37	3	4	6	9	9	6
Injury to Pedal Cyclist	3	-	1	-	2	-	-
Collision with other Motor Vehicle	22	-	2	9	5	2	4
Collision with Fixed Object	10	-	-	5	4	1	-
Non-collision	14	-	-	7	2	2	3
Other and Unspecified Accidents	15	1	1	3	6	4	-

Table 29.—RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT: DISTRICT OF COLUMBIA, 1985-CONTINUED

Type of Accident	Total	Age (in years)					
		Under 5	5-14	15-24	25-44	45-64	65 and Over
Public Non-Motor Vehicle...	122	2	1	13	70	8	28
Water Transport.....	1	-	1	-	-	-	-
Air Transport.....	7	-	-	2	4	1	-
Drowning.....	8	1	-	2	4	1	-
Other and Unspecified Public Accidents.....	106	1	-	9	62	6	28
Type of Accident Unknown...	8	-	-	-	-	2	6

1/Includes deaths occurring within the District of Columbia of residents and non-residents.

Table 30.—ESTIMATED POPULATION BY AGE, RACE, AND SEX:
DISTRICT OF COLUMBIA, JULY 1, 1985

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total...	627,400	290,900	336,500	458,100	212,500	245,600	169,300	78,400	90,900
Under 5.....	36,100	18,200	17,900	30,600	15,400	15,200	5,500	2,800	2,700
5-9.....	32,500	16,400	16,100	28,300	14,200	14,100	4,200	2,200	2,000
10-14.....	36,900	18,800	18,100	32,500	16,500	16,000	4,400	2,300	2,100
15-19.....	44,300	22,300	22,000	33,500	18,200	18,300	7,800	4,100	3,700
20-24.....	61,900	28,000	33,900	45,900	22,000	23,900	16,000	6,000	10,000
25-29.....	67,600	31,000	36,600	45,800	21,100	24,700	21,800	9,900	11,900
30-34.....	61,300	29,400	31,900	40,800	18,900	21,900	20,500	10,500	10,000
35-39.....	48,400	22,800	25,600	31,100	14,100	17,000	17,300	8,700	8,600
40-44.....	38,800	19,000	19,800	26,000	11,900	14,100	12,800	7,100	5,700
45-49.....	30,700	14,800	15,900	22,800	10,700	12,100	7,900	4,100	3,800
50-54.....	29,200	13,500	15,700	22,300	9,900	12,400	6,900	3,600	3,300
55-59.....	32,000	14,500	17,500	24,400	10,800	13,600	7,600	3,700	3,900
60-64.....	32,200	14,500	17,700	23,900	10,700	13,200	8,300	3,800	4,500
65-and over..	75,500	27,700	47,800	47,200	18,100	29,100	28,300	9,600	18,700

Source: Office of Planning, Data Services Division, Demographic Unit.

Table 31.--MARRIAGES BY MONTH OF MARRIAGE: DISTRICT OF COLUMBIA, 1985

Marriage month	Number	Percent
Total.....	4,896	100.0
January.....	208	4.2
February.....	252	5.1
March.....	285	5.8
April.....	367	7.5
May.....	509	10.4
June.....	743	15.2
July.....	389	7.9
August.....	490	10.0
September.....	506	10.3
October.....	445	9.1
November.....	384	7.8
December.....	318	6.5

Table 32.—MARRIAGES BY AGE OF GROOM BY AGE OF BRIDE:
DISTRICT OF COLUMBIA, 1985

Age of Groom (in years)	Total	Age of Bride (in years)							
		Less than 15	15-19	20-29	30-39	40-49	50-59	60-64	65 and over
Total.....	4,896	1	321	2,909	1,232	298	89	24	22
Less than 15.....	1	1	-	-	-	-	-	-	-
15-19.....	126	-	79	44	3	-	-	-	-
20-29.....	2,579	-	227	2,083	251	17	-	-	1
30-39.....	1,431	-	9	700	665	55	2	-	-
40-49.....	465	-	6	72	251	117	19	-	-
50-59.....	200	-	-	10	57	84	40	6	3
60-64.....	41	-	-	-	2	18	17	3	1
65 and over.....	53	-	-	-	3	7	11	15	17

Table 33.—MARRIAGES BY MARITAL STATUS OF GROOM BY MARITAL STATUS OF BRIDE: DISTRICT OF COLUMBIA, 1985

Marital Status of Groom	Total		Marital Status of Bride							
			Never Married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total.....	4,896	100.0	3,792	100.0	998	100.0	3	100.0	103	100.0
Never Married.....	3,514	71.8	3,058	80.6	421	42.2	-	-	32	31.1
Divorced.....	1,250	25.5	690	18.2	528	52.9	-	-	32	31.1
Widowed.....	132	2.7	44	1.2	49	4.9	3	100.0	39	37.9

Table 34.—MARRIAGES BY AGE OF GROOM BY MARITAL STATUS OF GROOM: DISTRICT OF COLUMBIA, 1985

Age of Groom (in years)	Total		Marital Status of Groom					
			Never Married		Divorced		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total.....	4,896	100.0	3,514	100.0	1,250	100.0	132	100.0
Less than 15..	1	-	1	-	-	-	-	-
15-19.....	126	2.6	126	3.6	-	-	-	-
20-29.....	2,579	52.7	2,436	69.3	142	11.4	1	.8
30-39.....	1,431	29.2	832	23.7	591	47.3	8	6.1
40-49.....	465	9.5	86	2.4	352	28.2	27	20.5
50-59.....	200	4.1	23	0.7	139	11.1	38	28.8
60-64.....	41	.8	7	0.2	14	1.1	20	15.2
65 and over...	53	1.1	3	0.1	12	1.0	38	28.8

Table 35.—MARRIAGES BY AGE OF BRIDE BY MARITAL STATUS OF BRIDE:
DISTRICT OF COLUMBIA, 1985

Age of Bride (in years)	Total		Marital status of Bride							
			Never Married		Divorced		Annulment		Widowed	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total.....	4,896	100.0	3,792	100.0	998	100.0	3	100.0	103	100.0
Less than 15.....	1	-	1	-	-	-	-	-	-	-
15-19.....	321	6.6	319	8.4	2	.2	-	-	-	-
20-29.....	2,909	59.4	2,677	70.6	224	22.4	2	66.7	6	5.8
30-39.....	1,232	25.2	694	18.3	515	51.6	1	33.3	22	21.4
40-49.....	298	6.1	81	2.1	189	18.9	-	-	28	27.2
50-59.....	89	1.8	12	.3	54	5.4	-	-	23	22.3
60-64.....	24	.5	3	.1	9	.9	-	-	12	11.7
65 and over.....	22	.4	5	.1	5	.5	-	-	12	11.7

Table 36.—DIVORCES AND DIVORCE RATES*: DISTRICT OF COLUMBIA, 1976, 1980-1985

Year	Number	Rate
1985**.....	2,379	3.8
1984**.....	2,557	4.1
1983.....	2,731	4.4
1982.....	3,418	5.5
1981.....	3,896	6.2
1980.....	4,682	7.3
1976.....	3,092	4.4

*Rates per 1,000 total estimated population 1981-1985; enumerated population 1980.

**Divorce and annulment decrees granted during 1984, 1985.

Source: 1984, 1985 Research and Statistics Division tabulations

1980-1983 National Center for Health Statistics: Annual Summary of Births, Marriages, Divorces, and Deaths, United States, 1980-1984. Monthly Vital Statistics Report(s). Vol's 19-33, No. 13, Sept.-Dec. 1981-1985.

1976 National Center for Health Statistics: Vital Statistics of the United States, 1980, Vol. 111, Marriage and Divorce, 1985.

Table 37.--DIVORCES BY DURATION OF MARRIAGE: DISTRICT OF COLUMBIA, 1985

Duration of Marriage (in years)	Number*	Percent
Total.....	2,379	100.0
Under 1.....	26	1.1
1.....	121	5.1
2.....	203	8.5
3.....	219	9.2
4.....	195	8.2
5.....	184	7.7
6.....	126	5.3
7.....	119	5.0
8.....	88	3.7
9.....	90	3.8
10-14.....	371	15.6
15-19.....	246	10.3
20-24.....	148	6.2
25-29.....	89	3.7
30 and over.....	121	5.1
Not stated.....	33	1.4

*Includes divorces and annulments.

Table 38.--DIVORCES BY NUMBER OF CHILDREN AFFECTED UNDER 18 YEARS OF AGE: DISTRICT OF COLUMBIA, 1985

Number of Children Affected	Total Divorces*	Total Children
Total.....	2,379	1,478
None or not stated....	1,451	-
1.....	534	534
2.....	298	596
3.....	60	180
4.....	24	96
5.....	6	30
6.....	4	24
7.....	1	7
8.....	-	-
9.....	-	-
10	-	-
11	1	11

*Includes divorces and annulments.

Table 39.—DIVORCES BY AGE OF WIFE BY AGE OF HUSBAND:
DISTRICT OF COLUMBIA, 1985

Age of Wife (in years)	Total*	Age of Husband (in years)							
		Less than 20	20-29	30-39	40-49	50-59	60-69	70 or over	Not stated
Total.....	2,379	16	453	1,015	518	236	70	21	50
Less than 20.....	15	1	5	5	3	1	-	-	-
20-29.....	650	5	358	256	18	2	1	1	9
30-39.....	1,003	6	72	678	203	19	8	2	15
40-49.....	455	1	9	56	271	97	10	-	11
50-59.....	147	2	1	5	14	97	19	3	6
60-69.....	46	-	-	-	3	7	27	6	3
70 or over.....	14	-	-	1	-	2	1	7	3
Not stated.....	49	1	8	14	6	11	4	2	3

*Includes divorces and annulments.

Table 40.—AGE OF HUSBAND BY MARRIAGE NUMBER:
DISTRICT OF COLUMBIA, 1985

Age (in years)	Total*	Marriage Number					
		1st	2nd	3rd	4th	5th	Not stated
Total.....	2,379	1,928	375	55	10	1	10
Less than 20.....	16	13	3	-	-	-	-
20-29.....	453	437	13	1	-	-	2
30-39.....	1,015	866	135	8	4	-	2
40-49.....	518	363	130	19	3	-	3
50-59.....	236	163	57	14	2	-	-
60-69.....	70	34	26	8	1	1	-
70 or over.....	21	11	6	4	-	-	-
Not stated.....	50	41	5	1	-	-	3

*Includes divorces and annulments.

Table 41.—AGE OF WIFE BY MARRIAGE NUMBER:
DISTRICT OF COLUMBIA, 1985

Age (in years)	Total*	Marriage Number						
		1st	2nd	3rd	4th	6th	8th	Not stated
Total.....	2,379	1,998	330	36	4	1	3	7
Less than 20.....	15	13	2	-	-	-	-	-
20-29.....	650	621	21	2	-	-	2	4
30-39.....	1,003	842	149	8	2	-	-	2
40-49.....	455	333	103	16	2	1	-	-
50-59.....	147	108	33	5	-	-	-	1
60-69.....	46	32	11	3	-	-	-	-
70 or over.....	14	10	4	-	-	-	-	-
Not stated.....	49	39	7	2	-	-	1	-

*Includes divorces and annulments.

Table 42.--DIVORCES BY DURATION OF MARRIAGE BY MARRIAGE NUMBER OF HUSBAND: DISTRICT OF COLUMBIA, 1985

Duration of Marriage (in years)	Total*	Marriage Number					
		1st	2nd	3rd	4th	5th	Not stated
Total.....	2,379	1,928	375	55	10	1	10
Under 1.....	26	17	8	1	-	-	-
1.....	121	89	28	2	1	-	1
2.....	203	163	31	7	1	-	1
3.....	219	164	45	6	1	1	2
4.....	195	146	44	5	-	-	-
5.....	184	140	35	8	1	-	-
6.....	126	87	36	3	-	-	-
7.....	119	93	21	3	1	-	1
8.....	88	74	8	5	-	-	1
9.....	90	66	17	3	2	-	2
10-14.....	371	318	43	8	2	-	-
15-19.....	246	220	24	1	-	-	1
20-24.....	148	134	12	2	-	-	-
25-29.....	89	81	6	1	1	-	-
30 and over.....	121	110	11	-	-	-	-
Not stated.....	33	26	6	-	-	-	1

*Includes divorces and annulments.

Table 43.--DIVORCES BY DURATION OF MARRIAGE BY MARRIAGE NUMBER OF WIFE: DISTRICT OF COLUMBIA, 1985

Duration of Marriage (in years)	Total*	Marriage Number						
		1st	2nd	3rd	4th	6th	8th	Not stated
Total.....	2,379	1,998	330	36	4	1	3	7
Under 1.....	26	16	8	1	1	-	-	-
1.....	121	95	21	5	-	-	-	-
2.....	203	161	38	2	1	-	-	1
3.....	219	184	27	5	-	-	1	2
4.....	195	163	28	4	-	-	-	-
5.....	184	146	34	4	-	-	-	-
6.....	126	94	29	2	1	-	-	-
7.....	119	95	18	3	-	-	1	2
8.....	88	73	14	1	-	-	-	-
9.....	90	66	21	1	-	-	-	2
10-14.....	371	323	43	4	1	-	-	-
15-19.....	246	223	21	2	-	-	-	-
20-24.....	148	135	12	1	-	-	-	-
25-29.....	89	86	2	-	-	1	-	-
30 and over.....	121	114	6	1	-	-	-	-
Not stated.....	33	24	8	-	-	-	1	-

*Includes divorces and annulments.

Prepared by:
Government of the District of Columbia
Department of Human Services
Office of Policy and Planning
Research and Statistics Division

727-0682